


MEDITERRANEAN ECOLOGICAL FOOTPRINT TRENDS



Global Footprint Network
Advancing the Science of Sustainability

Global Footprint Network Foreword	1
Foreword Plan Blue	2
Introduction	3
The Ecological Footprint of World Regions	8
Drivers of Mediterranean Ecological Footprint and biocapacity changes over time	10
Mapping consumption, production and trade activities for the Mediterranean Region	13
Mediterranean Ecological Footprint of nations	17
Linking ecological assets and economic competitiveness	20
Toward sustainable development: human welfare and planetary limits	22
National Case Studies	24
Conclusions	28
Appendix A Calculating the Ecological Footprint	32
Appendix B The carbon-plus approach	35
Appendix C Ecological Footprint: Frequently asked questions	36
Glossary of Ecological Footprint terms	38
References	40
Biocapacity and Ecological Footprint Data	42



Global Footprint Network

Promotes a sustainable economy by advancing the Ecological Footprint, a tool that makes sustainability measurable.

Funded by:

MAVA Foundation

Established in 1994, it is a family-led, Swiss-based philanthropic foundation whose mission is to engage in strong partnerships to conserve biodiversity for future generations.

In collaboration with:

WWF Mediterranean

Its mission is to build a future in which people live in harmony with nature. The WWF Mediterranean initiative aims at conserving the natural wealth of the Mediterranean and reducing human footprint on nature for the benefit of all.

UNESCO Venice

Is developing an educational and training platform on the application of the Ecological Footprint in SEE and Mediterranean countries, using in particular the network of MAB Biosphere Reserves as special demonstration and learning places.

Plan Bleu

Plan Bleu aims to produce information and knowledge in order to alert decision-makers and other stakeholders to environmental risks and sustainable development issues in the Mediterranean, and to shape future scenarios to guide decision-making processes.



EDITOR

Alessandro Galli
Scott Mattoon

AUTHORS

Alessandro Galli
David Moore
Nina Brooks
Katsunori Iha
Gemma Cranston

CONTRIBUTORS AND REVIEWER

Jean-Pierre Giraud
Steve Goldfinger
Martin Halle
Pati Poblete
Anders Reed
Mathis Wackernagel

DESIGN

MaddoxDesign.net

ADVISORS

Deanna Karapetyan
Hannes Kunz
(Institute for Integrated Economic Research - www.iier.ch)
Paolo Lombardi
(WWF Mediterranean Programme)
André Schneider
(André Schneider Global Advisory SA)
Yves de Soye



Mathis Wackernagel

President, Global Footprint Network
www.footprintnetwork.org

Yes, ecological health is important—all agree—but what’s in it for our economies? This is the question we address with the Mediterranean Footprint report. We believe that if we carefully look at the resource trends, the link will be obvious. We will see that it is in each country’s most central self-interest to combat ecological deficits and overreliance on fossil fuel quickly and aggressively.

Such action does not depend on whether our global neighbors follow suit. In fact, each country’s own actions will become more urgent and valuable the less others do.

Let me spell out the argument: Why would it be in any individual country’s interest to address a problem that seems to be global in nature?

Consider the nature of the most prominent environmental challenge: Climate change. Even though climate change transcends country boundaries, the fossil fuel dependence that contributes to it carries growing economic risks for the emitting country—particularly for many of the Mediterranean countries paying for expensive oil-imports. Working our way out of this addiction takes time, and the longer we wait to radically rethink and retool our societies, the costlier and harder it will be.

But climate change is not an issue in isolation. Rather, it is a symptom of a broader challenge: Humanity’s systematic overuse of the planet’s finite resources.

Our natural systems can only generate a finite amount of raw materials (fish, trees, crops, etc.) and absorb a finite amount of waste (such as carbon dioxide emissions). Global Footprint Network quantifies this rate of output through a measure called “biocapacity.” Biocapacity is as measurable as GDP—and, ultimately, more significant, as access to basic living resources underlies every economic activity a society can undertake.

For centuries, we have treated biocapacity as an essentially limitless flow. Today, though, humanity’s demand for biocapacity outstrips global supply by 50 percent. In the Mediterranean region, as this report shows, demands on biocapacity now exceed the region’s supply by more than 150 percent.

In a world of growing ecological overshoot—when our demands for nature’s products and services exceed the planet’s ability to renew them—the winning economic strategies will be those that manage biocapacity on the one hand, and reduce demand for it on the other.

Those countries and cities trapped in energy- and resource-intensive infrastructure (and economic activities) will become dangerously fragile, and will not be able to adapt in time to meet the emerging resource constraints. But those which do, and build economies that work with, rather than against, nature’s budget will be able to secure the wellbeing of their people.



Hugues Ravenel

Director, Plan Bleu

www.planbleu.org

In 1989, Plan Bleu published a pioneering report on “Futures for the Mediterranean Basin” which recommended a design for the Mediterranean Strategy for Sustainable Development (MSSD). With the issuance of an update in 2005, entitled “A sustainable future for the Mediterranean: the Blue Plan’s environment and development outlook” the report’s recommendations were adopted by the Barcelona Convention Contracting Parties at their 14th conference in Portoroz, Slovenia, 8-11 November 2005.

Plan Bleu’s key function as the “Mediterranean Environment and Development Observatory” (MEDO), draws heavily upon its expertise in sustainable development indicators. Within MEDO, 134 initial indicators were selected and adapted to the follow-up of the implementation of Agenda 21 in the Mediterranean. Of these, 34 priority indicators were subsequently chosen to monitor the progress made by the Mediterranean countries focusing upon the objectives defined for 9 MSSD priority issues including:

- **Improving integrated water resource and water demand management;**
- **Ensuring sustainable management of energy;**
- **Mitigating and adapting to the effects of climate change.**

In addition, some composite indicators such as the Human Development Index (HDI) and Ecological Footprint were considered to monitor overall progress in terms of sustainable development.

The MSSD priority indicators are unable to fully describe the complexity and diversity of sustainable development issues in the Mediterranean regions. Some additional indicators were thus selected, defined and populated in order to tackle priority issues such as: water, energy, tourism, the conservation of rural and coastal areas. These analyses, widely disseminated in Plan Bleu publications and continuously updated, are nicely complemented by the analysis of Ecological Footprint and biocapacity trends in the Mediterranean region that is included in this report.

The “State of the Environment and Development in the Mediterranean”, published by Plan Bleu in 2009, attempted to provide answers regarding water and energy. The promotion of water demand management and the use of related indicators, such as efficiency demand per sector and exploitation index of the renewable resources, should aid better inclusion of water scarcity. The main responses to the growth of the major socio-economic drivers and environmental pressures are a) to develop more sustainable energy consumption and b) encourage diversification of energy sources with a bigger share of renewable energy.

The MSSD and the related indicators are being revised by taking into account the impact of climate change on the Mediterranean environment and society. All this work on indicators and MSSD is also linked to the activities of the Centre for Mediterranean Integration in Marseille and the priority areas of the Union for the Mediterranean.

WHAT'S AT STAKE

Since the rise of agriculture, the Mediterranean region has been shaped by its diverse and vast ecological resources. Ecological changes, from forest loss to desertification, have always been part of its history, but never has human pressure on the Mediterranean's ecological assets been as intense as it is today.

Growing demands on the Mediterranean region's limited ecological resources and services now threaten the foundation of its social and economic well-being. In 2008, every country in the region but one demanded more ecological resources and services than were available within their respective borders.

Simply stated, the Mediterranean region is running a severe ecological deficit, a situation that will only worsen unless effective resource management becomes central to policy-making.

To achieve lasting socio-economic success, solutions are needed that manage Earth's limited ecological assets. Instead, however, we see that many of the actions taken by Greece, Italy and other Mediterranean countries to improve

the performance of their economies are undermining the health of their ecological assets and mortgaging their long-term security.

Never has the situation been so critical: The Mediterranean's accessibility to essential life-supporting ecological resources and services is increasingly at risk. At a time when the world is going further into ecological overshoot, failure to take action is becoming a fundamental threat.

TRACKING HUMAN DEMAND ON BIOCAPACITY:

INTRODUCING THE ECOLOGICAL FOOTPRINT

Pursuing a more sustainable approach to development and economic prosperity means better understanding the choices before us. For this, governments need the knowledge and tools to manage their ecological assets as well as their demand for renewable resources and ecological services. The Ecological Footprint methodology offers a way to do so, globally and at the regional and country level.

The Ecological Footprint is an accounting tool that measures one aspect of sustainability: *How much of the planet's regenerative capacity humans demand to produce the resources and ecological services for their daily lives and how much regenerative capacity they have available from existing ecological assets.* It does so by means of two indicators:

- **ON THE DEMAND SIDE** the **Ecological Footprint** measures the biologically productive land and sea area—the ecological assets—that a population requires to produce the renewable resources and ecological services it uses.
- **ON THE SUPPLY SIDE** **Biocapacity** tracks the ecological assets available in countries, regions or at the global level and their capacity to produce renewable resources and ecological services.

In economic terms, assets are often defined as something durable that is not directly consumed, but yields a flow of products and services that people do consume. Ecological assets are thus here defined as the biologically productive land and sea areas that generate the renewable resources and ecological services that humans demand. They include: cropland for the provision of plant-based food and fiber products; grazing land and cropland for animal products; fishing grounds (marine and inland) for fish products; forests for timber and other forest products; uptake land to sequester waste (CO₂, primarily from fossil fuel burning); and space for shelter and other urban infrastructure (see box 1).



CARBON

accounts for the amount of forest land required to accommodate for the carbon Footprint, meaning to sequester CO₂ emissions, primarily from fossil fuels burning, international trade and land use practices, that are not uptake by oceans.



GRAZING LAND

represents the area of grassland used, in addition to crop feeds, to raise livestock for meat, dairy, hide and wool products. It comprises all grasslands used to provide feed for animals, including cultivated pastures as well as wild grasslands and prairies.



FOREST

represents the area of forests required to support the annual harvest of fuel wood, pulp and timber products.



FISHING GROUNDS

represent the area of marine and inland waters necessary to generate the annual primary production required to support catches of aquatic species (fish and seafood) and from aquaculture.



CROPLAND

consists of the area required to grow all crop products required for human consumption (food and fibre), as well as to grow livestock feeds, fish meals, oil crops, and rubber.




BUILT-UP LAND

represents the area of land covered by human infrastructure such as transportation, housing, industrial structures and reservoirs for hydroelectric power generation.



A country's Ecological Footprint of consumption is derived by tracking the ecological assets demanded to absorb its waste and to generate all the commodities it produces, imports and exports (see box 2).

All commodities (or CO₂ waste) carry with them an embedded amount of bioproductive land and sea area necessary to produce (or sequester) them; international trade flows can thus be seen as flows of embedded Ecological Footprint.



Box 2: Tracking production, consumption and net trade with the Ecological Footprint: The Ecological Footprint associated with each country's total consumption is calculated by summing the Footprint of its imports and its production, and subtracting the Footprint of its exports. This means that the resource use and emissions associated with producing a car that is manufactured in China, but sold and used in Italy, will contribute to Italy's rather than China's Ecological Footprint of consumption.

Both Ecological Footprint and biocapacity results are expressed in a globally comparable, standardized unit called a “global hectare” (gha)—a hectare of biologically productive land or sea area with world average bioproductivity in a given year (see Borucke et al., 2013 for details).

While the Ecological Footprint quantifies human demand, biocapacity acts as an ecological benchmark and quantifies nature’s ability to meet this demand. A population’s Ecological Footprint can be compared with the biocapacity that is available—domestically or globally—to support that population, just as expenditure is compared with income in financial terms. If a population’s demand for ecological assets exceeds the country’s supply, that country is defined as running an ecological—or more precisely, a biocapacity—deficit. Conversely, when demand for ecological assets is less than the biocapacity available within a country’s borders, the country is said to have an ecological—or biocapacity—reserve.

The total Ecological Footprint of a country is a function of the average consumption pattern of each individual, the efficiency in production and resource transformation, and the number of individuals in the country. Biocapacity is determined by the available biologically productive land and sea areas and the capacity of these assets to produce resources and services useful for humans (this is determined by the prevailing technology and management practices implemented in these areas).

GLOBAL ECOLOGICAL OVERSHOOT

While ecological assets have long been ignored as irrelevant to a country’s economy, the goods and services that sustain a healthy human society (access to food, safe water, sanitation, manufactured goods and economic opportunity) all depend on the functioning of healthy ecosystems.

According to Global Footprint Network’s most recent National Footprint Accounts, in 2008 humanity consumed resources and ecological services 1.5 times faster than Earth could renew them—a 100 percent jump from 1961, when approximately 74 percent of the planet’s biocapacity was consumed (Global Footprint Network,

2011). In other words, in 2008 human demand on the Earth’s ecological assets was 50 percent greater than their capacity to keep up with this demand.

This situation is known as “ecological overshoot” and its consequences can be seen in the form of climate change, water scarcity, land use change and land degradation, declining fisheries, loss of biodiversity, food crises and soaring energy costs.

If human demand on nature continues to exceed what Earth can regenerate, then substantial changes in the resource base may occur, undermining economic performance and human welfare.




Figure 1: Trends in total Ecological Footprint and biocapacity between 1961 and 2008. The increase in biocapacity is due to an increase in land bioproductivity as well as in the areas used for human purposes. However, the increase in the Earth’s productivity is not enough to compensate for the demands of a growing global population.

Humanity crossed the threshold in 1971, when the world went into global ecological overshoot. Recent studies (Moore et al., 2012) project that, if we continue on a “business-as-usual” path, it will take twice the ecological assets of the biosphere to meet our demands by the early 2030s. This level of overshoot is physically impossible in the long run. With growing resource scarcity and exceeded planetary boundaries, leaders need to be informed not only by value-added measures of economic activities, but also asset balances and how they impact our quality of life.

Global Footprint Network launched its Mediterranean initiative to bring the reality of ecological constraints to the center of Mediterranean policy debate, and to support decision-makers with tools that will help them weigh policy trade-offs. These tools will enable policy analysts and decision-makers to more fully identify the risks that resource and ecosystem limitations pose to their countries’ economic and social well-being.

In this report, we examine the nature of and trends in the demands that residents in the Mediterranean region are placing on the Earth’s ecological assets. The chapter on Greece, Italy, Portugal and

Spain offer a particular example of the interplay between ecological constraints and economic performance. Using the Ecological Footprint and biocapacity measures, we investigate the main drivers of increased human pressure in the region and explore the likely implications of growing ecological deficits for the Mediterranean region’s ecosystems and economies.

Global Footprint Network published this report in October 2012 as a foundation for the debate on the strategies and policies required to best guarantee a sustainable future for all in the region. Key findings of the report that were published in advance in “Why Are Resource Limits Now Undermining Economic Performance?” (Global Footprint Network, 2012) might be considered the first discussion on this critical issue. Global Footprint Network now invites governments and other decision-makers to join the dialogue, and act to safeguard their economies and their peoples’ well-being.

In this report, the Mediterranean region is defined as those countries that directly border the Mediterranean Sea plus three countries, Jordan, Macedonia and Portugal, which are ecologically characterized by biomes that are typical of the Mediterranean region. Only countries with populations greater than 500,000 are included in Ecological Footprint results.



THE ECOLOGICAL FOOTPRINT OF WORLD REGIONS

In less than 50 years, humanity doubled its demand for renewable resources and ecological services (see Figure 2). At a global level, the causes are easily identified. Population growth recorded a 118 percent increase from 1961 to 2008, the period studied for this report, while the world's per capita Ecological Footprint increased by 15 percent (from 2.4 to 2.7 gha per person).




Figure 2: Humanity's Ecological Footprint by land use type, 1961-2008. The largest component of the Ecological Footprint today is the carbon Footprint (55 percent). This component represents more than half the Ecological Footprint for one-quarter of the countries tracked, and it is the largest component for approximately half the countries tracked. All Ecological Footprint and biocapacity values provided in this study are reported in constant 2008 global hectare value. Details on constant gha can be found in Borucke et al., 2013.

These global trends, however, hide the huge variability that exists at the regional level. Europe and Middle East/Central Asia experienced the largest increase in their per capita Ecological Footprint (+1.2 and +1.1 gha per person, respectively), but while Europe's population growth was relatively slow (+29 percent), population grew 330 percent in Middle East/Central Asia. North America had a smaller increase in per capita consumption (+ 0.6 gha per person) and a 63 percent growth in population. At the other end of the spectrum, Africa saw its per capita Ecological Footprint decline (-0.1 gha per person), while its population increased by 255 percent. In the Asia-Pacific region, per capita Ecological Footprint increased slightly (+0.6 gha per person), while population grew by 136 percent (See Figure 3).





Figure 3: Ecological Footprint and population by world's regions in 1961 and 2008. The area within each bar represents the total Ecological Footprint for each region.

The Mediterranean region experienced significant increases in both population and per capita consumption. From 1961 to 2008, the region’s population grew from 242 million to 478 million, a 96 percent increase, while its per capita Ecological Footprint increased by 52 percent. Together these increases led to a 197 percent increase of the Mediterranean’s

later, residents in this income group (approximately 279 million people) fell into more Footprint ranges, suggesting a greater disparity in access to ecological resources and services. (Despite this increased variability, approximately 126 million people living in middle-income countries in 2008 had a per capita Ecological Footprint ranging from 1.5 to 2.0 gha, evidence of a higher consumption level for more people).




Figure 4: Mediterranean’s total Ecological Footprint, by land-use type, 1961-2008. The largest component of the Ecological Footprint today is the carbon Footprint (47 percent), followed by cropland (28 percent). In 1961, cropland was the largest component (33 percent), followed by the carbon Footprint (25 percent).

total demand for ecological resources and services during the 47-year period studied for this report (see Figure 4). The region’s income levels indicate how population and per capita Footprint values go hand in hand with the Mediterranean’s growing demand for ecological resources and services (Figure 5). While Mediterranean high-income countries’ total Footprint grew primarily because of an increase in individual consumption levels—that is, an increase in their per capita Footprint—middle-income countries’ growing total Footprint was driven by both an increase in per capita consumption levels and population growth. But these different patterns of change were also marked by shifts in residents’ access to ecological assets. Growing per capita consumption trends in high-income countries was accompanied by greater equality in access to ecological resources and services—by 2008, almost all residents in Mediterranean high-income countries (approximately 178 million people) had a per capita Footprint ranging from 4.5 to 5.0 gha.

Changes in middle-income countries brought the opposite effect, however. While in 1961 residents in middle-income countries (approximately 95 million people) fell into two per capita Footprint ranges (0.5 to 1.0 gha and 1.5 to 2.0 gha), almost 50 years





Figure 5: Distribution of Ecological Footprint and population by national income in 1961 and 2008. Per capita Footprint ranges are indicated on the x-axis, while the height of each bar is proportional to the number of people in that range. Mediterranean countries are here divided in income groups according to their per capita GNI values in 2008, as indicated by the World Bank. Additional information on the income thresholds used in defining groups can be found in the Glossary section.

DRIVERS OF MEDITERRANEAN ECOLOGICAL FOOTPRINT AND BIOCAPACITY CHANGES OVER TIME

The Mediterranean region is characterized by its geographic, climatic and cultural diversity. Countries in the region have varying development levels and a wide range of economic activities. A crossroads of the East and West, the region has lived and still lives through a turbulent, intertwined history. But every country in the Mediterranean shares an environmental fragility, with residents demand for ecological resources and services far exceeding the regenerative capacity of their own ecological assets.

From 1961 to 2008, the Mediterranean's per capita Ecological Footprint grew by 52 percent (from 2.1 to 3.1 gha), mainly because of the region's 185 percent increase in the carbon Footprint component. Demand on other ecological assets increased only slightly or even decreased—cropland +29 percent; forest +23 percent; grazing -6 percent; fishing -54 percent. Demand for built-up land increased 20 percent (see Figure 6).





Figure 6: Per capita Ecological Footprint within the Mediterranean region, by component, 1961-2008 (top) and the role of per capita Footprint and population in determining the total regional Footprint (bottom).

From 1961 to 2008, the Mediterranean's per capita Ecological Footprint grew by 52 percent (from 2.1 to 3.1 gha), mainly because of the region's 185 percent increase in the carbon Footprint component.

Per capita biocapacity decreased by 16 percent—from 1.5 gha to 1.3 gha—from 1961 to 2008.

Between 1961 and 2008, the Mediterranean region's ecological deficit had increased by 230 percent.







Figure 7: Per capita biocapacity within the Mediterranean region, by component, 1961-2008 (top) and its contributing factors (bottom).



During this time, improvements in agricultural practices and other environmental factors slightly increased the productivity of the Mediterranean region’s ecological assets, thus contributing to an increase in the region’s total biocapacity. However, as population growth outstripped gains in productivity (Figure 7), per capita biocapacity decreased by 16 percent—from 1.5 gha to 1.3 gha—from 1961 to 2008.

These changes in biocapacity, consumption and population trends had a profound impact on the region’s ability to meet its own demands. In 1961, residents in the region had already used more resources and ecosystem services than the Mediterranean ecosystems’ could renew. Less than 50 years later, the region’s ecological deficit had increased by 230 percent (Figure 8).




Figure 8: Mediterranean region’s per capita Ecological Footprint (red line), and biocapacity (green line). The widening gap between demand and supply expanded the ecological deficit (shaded red) 230 percent from 1961 to 2008, ever increasing the region’s ecological debt over time.

Today, the Mediterranean region’s total Ecological Footprint exceeds local biocapacity by more than 150 percent.

IN 2008, THE COMPONENTS OF THE MEDITERRANEAN'S ECOLOGICAL FOOTPRINT WERE:

WERE:

- short-lived goods and services directly paid by households (driven by individual behavior, 78 percent of the total Footprint);
- consumption of ecological resource and services due to long-term capital investments undertaken by households, businesses and governments (Gross Fixed Capital Formation, or GFCF, 15 percent);
- services directly paid by government, which ultimately benefit households, that are not for long-term investments, such as law enforcement, education, public health, and defense (7 percent of the total Footprint).

Decisions made by governments and businesses have a substantial influence on the region's Ecological Footprint. Citizens have no direct control over how a country produces its electricity, for example, or the intensity of its agricultural production. However, individuals' daily activities are also primary Footprint drivers: Socio-economic factors, development level and wealth, the food, goods and services consumed, as well as the wastes generated, all contribute to the region's per capita Footprint.

Figure 9 and 10 further break down the Ecological Footprint of Mediterranean residents. They indicate who is demanding what and where the pressures (Ecological Footprint hotspots) lie.

Among the daily consumption and service categories shaping the "household" component, those that contributed the most to the Ecological Footprint of the average Mediterranean resident were "Food and non-alcoholic beverages" (35 percent of the household total), "Housing, water, electricity, gas and other fuels" (19 percent) and human "Transportation" (19 percent). While "Food and non-alcoholic beverages" put more demand on cropland assets than it did on other land-use types, the other two household activities caused a demand mainly on the carbon sequestration capacity of the planet (see Figure 10).




Figure 9: Breakdown of the per capita Ecological Footprint of an average Mediterranean resident, in 2008. The left chart indicates how much of the Ecological Footprint of consumption is paid for directly by household for short-lived goods (HH), how much by government, and how much is for expenditure of long-lasting goods (GFCF). The second graph breaks down the consumption directly paid for by households (HH) into its main categories.




Figure 10: Percentage contribution to the household Ecological Footprint of an average Mediterranean resident of each category of biologically productive land, in 2008. Footprint values by land category for government consumptions as well as capital formation are also provided as reference.

MAPPING CONSUMPTION PRODUCTION AND TRADE ACTIVITIES FOR THE MEDITERRANEAN REGION

Evaluating a country or region's demand for biocapacity does not completely inform us of the risks to domestic production systems, since an ecological deficit can be maintained not only through domestic overuse, but also through imports and/or a reliance on the global commons as a sink for carbon emissions. To more fully understand a population's resource demands, then, means to track both local production and consumption trends, as well as trends in trade.

Trends in the Ecological Footprint embedded in Mediterranean's production (EF_p) and consumption (EF_c) activities are

reported in Figure 11 and compared with the region's biocapacity trend for the period 1961–2008.

In 1961, Mediterranean biocapacity met only 73 percent of the region's demand—its Ecological Footprint of consumption—for renewable resources and ecological services. By 2008, only 40 percent of the region's Footprint of consumption was met by local biocapacity.

Production activities within the Mediterranean geographical boundaries have demanded more resources and services than are regionally available for

more than 50 years. From 1961 to 2008, Mediterranean countries' gap between Ecological Footprint of production and biocapacity more than tripled from 0.3 gha per person (14 percent of the total demand) to 1.1 gha per person (34 percent of total demand).

Already by 1961, Mediterranean trade patterns had made the region a net importer of Ecological Footprint, with 13 percent of local demand (EF_c) satisfied by resources and ecological services generated by ecological assets from outside the region's geographical boundaries. The Mediterranean's dependence on trade continuously increased over the decades, so much that by 2008 the Ecological Footprint embedded in net trade imports accounted for 26 percent of total Footprint of consumption.

Comparing EF_c and EF_p indicates the net flows of Ecological Footprint embedded in trade among countries. However, it does not inform us of the actual imports and exports flows and the Ecological Footprint embedded in each of them.

Figure 12 shows the detailed breakdown of the Ecological Footprint embedded in exports from the Mediterranean region to its top ten trading partners for the year 1977 and 2008¹; Figure 13 illustrates the Footprint embedded in Mediterranean's imports from top ten trading partners and its changes over the same period.

In 1977, resources and ecological services worth approximately 24 million

gha of Mediterranean ecological assets were exported to the top ten trading partners. Of these, the biggest exports of biocapacity were to the Netherlands (6.5 million gha), the United States (6.2 million gha) and the United Kingdom (5.3 million gha). Netherlands' imports were mostly composed of renewable resources from cropland (50 percent) and fishing grounds assets (49 percent); the carbon Footprint embedded in electricity, fossil fuels and energy-intensive commodities was the biggest component of the exports to United States and United Kingdom (93 percent and 88 percent of the total).

From 1977 to 2008, growth in the physical quantity of exports—and their embedded Footprint—was particularly strong, especially to the EU. In 2008, the Ecological Footprint embedded in exports to the top ten trading partners was approximately 88 million gha. The biggest Footprint export flows were to Belgium (26 million gha), the United Kingdom (17 million gha) and the United States (11 million gha). Footprint exports to Belgium were composed of carbon Footprint (50 percent) as well as cropland (25 percent) and fishing grounds assets (25 percent). Carbon Footprint was also the biggest component for the United Kingdom (90 percent of total) and the United States (95 percent).

¹1977 is the first year that comprehensive data is available to run the multi-lateral trade analysis.




Figure 11: Mediterranean region's Ecological Footprint of production (EF_p) and consumption (EF_c) compared to available biocapacity (BC), 1961–2008. EF_p can be said to represent the biocapacity used for producing GDP within a country while EF_c represents the biocapacity embedded in all commodities, goods and services consumed by the residents of that country. Comparing EF_c vs. BC indicates the extent of the total ecological deficit, which is made up by trade, resource overuse and use of global commons as carbon sinks. The difference between EF_c and EF_p indicates the Footprint embedded in net trade activities.

ECOLOGICAL DEFICIT

- 0-50% larger than Biocapacity
- 150% larger than Biocapacity
- 100-150% larger than Biocapacity
- 50-100% larger than Biocapacity
- Data not available

ECOLOGICAL RESERVE

- 0-50% larger than Footprint
- 50-100% larger than Footprint
- 100-150% larger than Footprint
- 150% larger than Footprint
- Data not available

ECOLOGICAL FOOTPRINT


- Carbon
- Fishing Grounds
- Cropland

The size of the arrows is a function of the extent of the trade flows, and the color represents the corresponding land use type.


For ease in visualization only the main three traded Footprint components are reported in the maps

Figure 12: Ecological Footprint exports to major trade partners of the Mediterranean region in 1977 (inset) and 2008, and the ecological deficit (red) or reserve (green) status of those partners. UN COMTRADE and FAO bilateral trade data were used to calculate the Ecological Footprint embedded in exports. Intra-regional trade was not included in the analysis.

ECOLOGICAL FOOTPRINT EXPORTS IN 1977 24 MILLION GHA



ECOLOGICAL FOOTPRINT EXPORTS IN 2008 88 MILLION GHA



The large contribution of the carbon Footprint in the region's exports, and the fact that export revenues are needed to pay for imports, suggest that the region is highly exposed to energy price volatility. Such volatility is likely to expand with oil shortages or carbon pricing.

At the same time, carbon Footprint exposes importing countries to risk as well: The increasing costs of imported fossil fuels are already a significant burden on economies depending on importing them; carbon taxes would cause even more stress on economies, with the greatest impact on those countries with a high carbon Footprint demand.

The Ecological Footprint embedded in imports to the Mediterranean from the region's top ten trading partners also changed significantly from 1977 to 2008, from approximately 30 million global hectares to approximately 142 million gha (see Figure 13).

Of the 30 million global hectares imported in 1977, 38 percent was composed of renewable resources from cropland assets followed by fishing grounds assets (37 percent) and carbon Footprint (25 percent). Renewable resources were imported primarily from Norway (3.7 million gha), Argentina (2.1 million gha) and United Kingdom (2.0 million gha), while electricity, fossil fuels and energy-intensive commodities (determining carbon Footprint imports) were imported from mainly the United States (2.1 million

gha) and Saudi Arabia (1.8 million gha).

The Ecological Footprint embedded in the Mediterranean's imports increased to 142 million gha in 2008, primarily because of the carbon Footprint component. In 2008, carbon Footprint accounted for 52 percent of the total imports, followed by imports of resources from cropland and fishing grounds assets (24 percent each). Electricity, fossil fuels and energy-intensive commodities (determining carbon Footprint imports) were mostly imported from Germany (19 million gha), China (15 million gha) and the Russian Federation (11 million gha), while renewable resources were imported primarily from Belgium (7.5 million gha), Netherlands (7 million gha) and Germany (6 million gha).

As the region increased its Ecological Footprint imports, trade patterns shifted and the Mediterranean's major trade partners moved toward larger ecological deficits. In a few instances, trade relationships from 1977 to 2008 shifted from countries that had ecological reserves (Canada, Argentina, and Saudi Arabia) to countries with ecological deficits (Germany, Belgium, the Netherlands and China).

This situation exposes the Mediterranean region to risks: Growing dependence on exporting countries that themselves run ever larger ecological deficits may amplify possibilities for future resource disruptions in the region.

The same situation, however, also offers opportunity. The majority of the region's ecological resource and service exports are now to countries that are experiencing ecological deficits (Brazil and the Russian Federation are the primary exceptions). In an era of tightening resource constraints, Mediterranean countries that improve their resource efficiency and sustain a positive ecological trade balance would benefit from increased commodity prices and improve their economic performance and the well-being of their populations.

Between 1977 and 2008, the Ecological Footprint embedded in the Mediterranean's imports increased from 30 to 142 million global hectares.

During this same period, trade patterns shifted and the Mediterranean's major trade partners moved toward larger ecological deficits.

ECOLOGICAL DEFICIT

- 0-50% larger than Biocapacity
- 150% larger than Biocapacity
- 100-150% larger than Biocapacity
- 50-100% larger than Biocapacity
- Data not available

ECOLOGICAL RESERVE

- 0-50% larger than Footprint
- 50-100% larger than Footprint
- 100-150% larger than Footprint
- 150% larger than Footprint
- Data not available

ECOLOGICAL FOOTPRINT


- Carbon
- Fishing Grounds
- Cropland

The size of the arrows is a function of the extent of the trade flows, and the color represents the corresponding land use type.


For ease in visualization only the main three traded Footprint components are reported in the maps

Figure 13: Ecological Footprint imports from major trade partners of the Mediterranean region in 1977 (inset) and 2008, and the ecological deficit (red) or reserve (green) status of those partners. UN COMTRADE and FAO bilateral trade data were used to calculate the Ecological Footprint embedded in imports. Intra-regional trade was not included in the analysis.

ECOLOGICAL FOOTPRINT IMPORTS IN 1977 30 MILLION GHA



ECOLOGICAL FOOTPRINT IMPORTS IN 2008 142 MILLION GHA



In 1961, only six countries in the Mediterranean region had more ecological assets available to produce the resources and services, on aggregate, than their residents consumed. All other countries consumed significantly more than their domestic ecosystems produced (see Figure 14).

By 2008, the deficit situation had spread to every Mediterranean country but the possible exception of Montenegro (data set for this country is not sufficiently reliable).

Algeria experienced the largest change in per capita ecological deficit, moving from a reserve of +0.7 gha per person in 1961 to an ecological deficit of -1.1 gha per person in 2008. This was due to both consumption increases (causing the total Ecological Footprint to grow) and population growth (which decreased the per capita biocapacity budget). Only Algeria's oil revenues allowed it to maintain its ecological deficit for the first few decades after independence. But by the late 1980s, declining oil prices took a toll on Algeria's petroleum-based economy, diminishing its capacity to pay for importing external ecological resources and services. As revenues and imports declined, Algeria's Ecological Footprint stabilized limiting residents' access to ecological resources and services.

Morocco, Libya, Syria, Tunisia and Turkey also shifted from ecological creditor to

debtor status during this period, while the other Mediterranean countries saw a worsening of their ecological deficits. Cyprus' ecological deficit grew by 3.1 gha per capita, the largest deficit increase in the region. Jordan reported the smallest deficit increase, at + 0.3 gha per capita.

The large variability in the per capita Footprints of individual countries reflects the existing socio-economic differences in the region—the more affluent a country, the greater its demand for ecological resources and services (and the higher its per capita consumption). On the supply side, differences in per capita biocapacity are mainly due to biophysical and climatic conditions—for example, water shortages affecting land productivity—as well as population density.

In 2008, the Former Yugoslavian Republic of Macedonia was found to have the highest per capita Ecological Footprint value (5.4 gha) among the Mediterranean countries (Figure 15), followed by Slovenia (5.2 gha), Greece (4.9 gha), France (4.9 gha) and Spain (4.7 gha). In all of these countries, carbon was the main Footprint component, ranging from 46 percent (France) to 72 percent (Macedonia TFYR) of the total value. The second highest component was cropland, with a contribution ranging from 15 percent (Macedonia TFYR) to 27 percent (Spain).

The five countries with the smallest per capita Ecological Footprint in 2008

were Algeria (1.6 gha), Syria (1.5 gha), Morocco (1.3 gha), Montenegro (1.2 gha) and the Occupied Palestinian Territories (0.5 gha). Carbon was the main Footprint component for Algeria (37 percent)

and Syria (49 percent), cropland for Morocco (45 percent) and the Occupied Palestinian Territories (71 percent), and forest for Montenegro (39 percent).





Figure 14: Ecological deficit (red) or reserve (green) status of the Mediterranean countries in 1961 (top) and 2008 (bottom). Ecological reserve is defined as a domestic Ecological Footprint of consumption less than domestic biocapacity; ecological deficit as a domestic Ecological Footprint of consumption greater than domestic biocapacity.

Figure 15: Per capita Ecological Footprint and biocapacity values for Mediterranean countries, by land use type, in 2008. Average Ecological Footprint and biocapacity values for the Mediterranean region (in columns) as well as the world (horizontal lines) are given for comparison. The Ecological Footprint measures demand for six types of ecological assets (see box 1); this is contrasted with five supply categories tracked by biocapacity. The reason for this discrepancy is that carbon dioxide sequestration (or carbon Footprint) is assumed to take place in forests where CO₂ can be absorbed in the largest quantities. However, reliable global data sets on the extent of forest areas legally protected and dedicated to long-term carbon uptake are not yet available. As such, a carbon uptake category is currently not included within the biocapacity calculation, so forest Footprint and carbon Footprint are two demands both placed on a forest's ecological assets.



Twelve (out of 24) Mediterranean countries were found to have a per capita Ecological Footprint greater than the regional average Footprint value of 3.1 gha per capita; 14 Mediterranean countries had a Footprint greater than the global average of 2.7 gha per capita.

The top five countries in terms of available per capita biocapacity were France (3.0 gha), Croatia (2.9 gha), Slovenia (2.6 gha), Montenegro (2.0 gha) and Bosnia and Herzegovina (1.6 gha per capita). Forest areas contributed the most to the total national biocapacity in the Balkan countries while cropland was the main component of France's biocapacity.

At the lower end of the per capita biocapacity scale were Lebanon (0.4 gha),

Israel (0.3 gha), Cyprus (0.2 gha), Jordan (0.2 gha) and the Occupied Palestinian Territories (0.1 gha). In these countries, biocapacity was mostly comprised of cropland areas.


Ten of 24 Mediterranean countries had a per capita biocapacity greater than the regional average value of 1.3 gha. Four countries (France, Croatia, Slovenia and Montenegro) had a per capita biocapacity greater than the world average value of 1.8 gha.

MEDITERRANEAN'S TOTAL ECOLOGICAL DEFICIT

The Mediterranean region's total Footprint in 2008, was 1.48 billion gha, or approximately 8 percent of humanity's Ecological Footprint. Three countries alone, as reported in Table 1, contributed more than 50 percent of the region's total Footprint: France (21 percent), Italy (18 percent) and Spain (14 percent).

On the supply side, the region's total biocapacity in 2008 was approximately 0.60 billion gha, nearly 5 percent of the world's biocapacity. Again, three countries alone contributed more than 50 percent of the Mediterranean's total biocapacity: France (31 percent), Turkey (15 percent) and Italy (11 percent).

In 2008, the five countries with the highest total ecological deficits were Italy (202.4 million gha), Spain (148.1 million gha), France (119.3 million gha), Turkey (88.5 million gha) and Egypt (81.5 million gha). The five countries with the smallest ecological deficits were Cyprus (4.5 million gha), Bosnia and Herzegovina (4.2 million gha), Albania (3.0 million gha), Malta (1.6 million gha) and the Occupied Palestinian Territories (1.3 million gha). Only Montenegro had an ecological reserve (0.5 million gha).



ECOLOGICAL FOOTPRINT	
COUNTRY	%
France	21%
Italy	18%
Spain	14%
Turkey	12%
Egypt	9%
Other	26%

BIOCAPACITY	
COUNTRY	%
France	31%
Turkey	15%
Italy	11%
Spain	11%
Egypt	9%
Other	23%

ECOLOGICAL DEFICIT	
COUNTRY	%
Italy	23%
Spain	17%
France	13%
Turkey	10%
Egypt	9%
Other	28%

Table 1: Top Five contributors to the Mediterranean region's total Ecological Footprint, biocapacity and ecological deficit values, in 2008.

LINKING ECOLOGICAL ASSETS AND ECONOMIC COMPETITIVENESS

Economic theory considers three primary factors of production: labor, capital and land. Labor refers to the use of human effort and expertise in production. Capital encompasses humanly constructed items, such as machinery and buildings, which can facilitate further production. Land (or ecological assets) generates the resource and services flows that are used as inputs into the production system.

Ecological assets provide the food required for labor, while capital formation requires labor and natural resource inputs. As such, any change in ecological assets and the resource and services flows they generate has a direct impact on the economic sub-system.

During most of the 20th century, when resources were relatively cheap and easily available, the economies of most countries (in the world as well as the Mediterranean region) became increasingly dependent on large amounts of renewable and nonrenewable resources and ecological services. Cheap energy made the extraction and harvesting of resources much more economical and led to an increase in individual consumption. However, as population and consumption trends increased, the production of resources failed to keep pace.

Now, in the early 21st century, natural resource flows that once seemed inexhaustible are running into limits: Food and energy shortages, freshwater scarcity and topsoil depletion, for example, are inescapable realities, as are their costs.


Some are calling this new era of constraints “peak everything” (Heinberg, 2007).

The Mediterranean region is a particularly salient example of such transitions (Figure 16). When the Mediterranean region was running a relatively small ecological deficit 50 years ago, the world was still able to provide more renewable resources and services than humanity required. Access to ecological assets was relatively easy during this phase, and Mediterranean residents could thus rely on global resources and ecological services to satisfy their demands.

Even when the world went into ecological overshoot in 1971, a decline in global commodity prices masked the risk of incurring a negative ecological assets balance. Meanwhile, the Mediterranean’s ecological deficit continued to grow, and humanity’s demand for natural resources and services overtook the planet’s ability to produce them.

Since 2000, a systemic risk has become evident (see Figure 16). As the gap between supply and demand widens, more resources are being demanded and more CO₂ is released in the atmosphere, causing even greater pressure on

Figure 16: Trends in the per capita Ecological Footprint (red) and biocapacity (green) of the world (solid lines) and Mediterranean region (dashed lines), from 1961 to 2008 (top). Commodity prices for selected commodities (solid lines) from 1961 to 2008, indexed to 2000, derived from World Bank commodity price data (bottom). General price trend-line (dashed line) also provided for ease in visualization.



ecosystems and biodiversity. The growing mismatch between global demand and supply of ecological resources and services has led to a gradual tightening of international commodity markets, resulting in rising prices and heightened price volatility.

With consumption exceeding local availability, dependence on biocapacity from outside the region's geographical boundaries will likely continue and push the region to increasingly turn toward international trade for access to ecological resources and services. But as countries become more dependent on external ecosystems, they expose their economies to price volatility and possible supply disruption. Access to ecological resources and services become subject not only to "physical limits" (the total amount globally available) but also "economic limits" (the ability of countries to purchase these resources and services).

Over the last five decades, many of the world's limited resources have become more expensive (World Bank, 2012). Prices have become highly reactive to supply-demand imbalances. During the Russian droughts and wildfires of 2010, a drop in grain production led to a 70 percent increase in wheat prices over a single month. The drought experienced by the U.S. Midwest in the summer of 2012 will also likely impact prices. Such price or supply shocks can cause severe economic imbalances in countries and sometimes lead to social unrest. The high volatility of commodity prices in recent years is at

least partly due to ecological overshoot, as the economic sub-system is susceptible to changes in the availability of both renewable and non-renewable resources.

Non-renewable resources' supply and demand are highly inelastic. Large price variations—as demonstrated by the international oil and mineral prices—are needed to balance supply and demand, especially for fossil fuels. Renewable natural resources, in contrast, have historically experienced supply increase in response to additional demand, and their prices are thus highly susceptible to supply-demand imbalances.

The increasing scarcity of global renewable resources—as well as the increased price of fossil resources used for their extraction—caused prices to reach historic highs in 2008. As global renewable resource availability diminishes and oil prices keep climbing, this volatility will increase, with severe implications for the trade balance of many Mediterranean countries.

The degree of dependence on external ecological assets for imports of resources makes responding to important price hikes challenging and could further negatively affect a country's capacity to maintain its economic output. Over the past few decades, economic success has translated into higher resource consumption levels that are no longer sustainable. Countries' efforts to drive their competitive advantage could lead to a race to disaster, as they maintain their

	Ecological Deficit (Reserve)	Financial Deficit (surplus)
COUNTRY	[Million gha]	[Billion USD]
Albania	3.0	2.0
Algeria	37.4	(34.4)
Bosnia and Herzegovina	4.2	2.6
Croatia	5.6	6.1
Cyprus	4.5	3.9
Egypt	81.5	1.4
France	119.3	49.9
Greece	37.7	51.3
Israel	26.0	(1.8)
Italy	202.4	66.3
Jordan	11.1	2.0
Lebanon	10.2	4.1
Libya	15.5	(35.7)
Macedonia TFYR	7.8	1.2
Malta	1.6	0.5
Montenegro	(0.5)	-
Morocco	19.6	4.5
Portugal	30.0	31.9
Slovenia	5.3	3.8
Spain	148.1	154.5
Syria	17.4	(0.5)
Tunisia	8.3	1.7
Turkey	88.5	41.5

Table 2: Ecological assets balance and current account balance for each Mediterranean country, in 2008. Ecological assets balance values are calculated as total Ecological Footprint of consumption minus total biocapacity. Current account balance values are drawn from the World Bank (2011). No data were available for the Occupied Palestinian Territories.

income (or GDP levels) by liquidating their ecological or financial assets, or both. Table 2 shows the ecological assets balance and the current account balance for each Mediterranean country in 2008. Results show that ecological deficits are coupled with fiscal deficits (indicated by the negative account balance) in the majority of the Mediterranean countries. Any economic actor who is both highly dependent on external resources and

ecological services, as well as weakened financially through large debts, will face growing difficulties in accessing the required resources and services. This might have crippling effects for its future economic performance. To ensure long-term economic prosperity and competitiveness, decisions are needed that recognize ecological assets—both dependence on and access to—as among the key drivers of economic success.

Mediterranean countries' ability to harvest local primary resources and import commodities from the global market has played an important role in guaranteeing their citizens a high degree of well-being. However, in a world of growing ecological overshoot, neither continued access to primary resources nor long-term improvements in human welfare are guaranteed. Countries that pursue a path toward sustainable development will be best positioned to meet their future needs.

Caring for the Earth, published in 1991 by IUCN, WWF and UNEP, defined sustainable development as a commitment to "improving the quality of human life while living within the carrying capacity of supporting ecosystems." One way to assess countries' progress toward sustainability (represented by the lower-right "sustainable consumption" quadrant of Figure 17) is by using the Ecological Footprint and biocapacity metrics to measure supply of and demand on supporting ecosystems, and the United Nations Development Programme's (UNDP) Human Development Index (HDI) to measure quality of life.

The HDI index is comprised of three elements: Education, health, and living standards, with each component weighted equally. Education is approximated by years of schooling; health is approximated by life expectancy; living standards are approximated by Gross National Income per capita. UNDP considers countries

above the median value to have "High Human Development."

According to Global Footprint Network calculations, there were 1.8 global hectares per person of biocapacity available on the planet in 2008 (this amount should also provide for wild species which are in competition with human demands). Therefore, a minimum condition for global sustainability would be a per capita Ecological Footprint of less than 1.8 gha on average (and less if the population increases). Future generations' ability to meet their own demands is compromised if this biocapacity budget is exceeded.

UNDP's latest Human Development Report (UNDP, 2011) estimates that human development in the Mediterranean region increased greatly from 1980 to 2008—from Medium (the regional average HDI value in 1980 was 0.58) to Very High (regional HDI value in 2008 was 0.75).

In 2008, seven Mediterranean countries (Algeria, Egypt, Jordan, Morocco, Syria, Tunisia and Turkey) were classified as having Medium Human Development, that is a value of HDI between the 25th and 50th percentile of all countries; seven countries (Albania, Bosnia and Herzegovina, Croatia, Lebanon, Libya, Macedonia TFYR and Montenegro) were classified as having High Human Development, that is a value of HDI between the 50th and 75th percentile of all countries; and nine countries (Cyprus,

France, Greece, Israel, Italy, Malta, Portugal, Slovenia and Spain) had Very High Human Development (above 75th percentile). No data were available for the Occupied Palestinian Territories.

During the same period, the Mediterranean's per capita Ecological Footprint increased by 7 percent (reaching the value of 3.1 gha in 2008), causing the average regional consumption habits to move away from the sustainable consumption quadrant. In 2008, only six Mediterranean countries (Algeria, Egypt, Montenegro, Morocco, Syria and Tunisia) had a Footprint of less than the global average available per capita biocapacity of 1.8 global hectares.

The Mediterranean region has made noticeable progress the last 30 years in implementing policies that enable residents to improve the quality of their life. But this has come at the cost of growing ecological overshoot.

Exceeding the regenerative capacity of the global ecological assets compromises future generations' ability to meet their own demands. With the apparent increase in resource shortages, even current generations might be unable to replicate the improvements in human welfare seen in the recent past. If rapid progress is not made toward living within the means of the planet, governments will not be able to safeguard recent achievements and move toward sustainable development.

Human development in the Mediterranean region increased from 1980 to 2008—from Medium to Very High. In 2008, Mediterranean countries were classified as follows:

■ MEDIUM HUMAN DEVELOPMENT

Algeria, Egypt, Jordan, Morocco, Syria, Tunisia and Turkey;

■ HIGH HUMAN DEVELOPMENT

Albania, Bosnia and Herzegovina, Croatia, Lebanon, Libya, Macedonia TFYR and Montenegro;

■ VERY HIGH HUMAN DEVELOPMENT

Cyprus, France, Greece, Israel, Italy, Malta, Portugal, Slovenia and Spain.

Only Algeria, Egypt, Montenegro, Morocco, Syria and Tunisia had a Footprint of less than the global average available per capita biocapacity of 1.8 global hectares.




Figure 17: Human Development Index (x-axis) and per capita Ecological Footprint (y-axis) for Mediterranean countries. HDI and Footprint positions in 2008 are highlighted with blue dots. The Mediterranean region's overall trend from 1980 to 2008 is shown with the red dotted line. A low average Ecological Footprint and a high HDI score are the necessary minimum conditions for globally replicable sustainable human development (indicated by the bottom-right quadrant).

NATIONAL CASE STUDIES

Greece, Italy, Portugal and Spain have historically contributed a large share of the economic output of the Mediterranean region (in 2008, the group had a combined GDP of over US \$2.2 trillion, compared with the region's total GDP of \$4.8 trillion). These same four countries were also responsible for 40 percent of the Mediterranean's total Ecological Footprint, with Italy and Spain having the highest total ecological deficits in the region in 2008.

Among the group, Greece had both the highest per capita Ecological Footprint of consumption (4.9 gha) and the highest per capita biocapacity (1.6 gha) in 2008 (Figure 18). It was followed by Spain (4.7 gha), Italy (4.5 gha) and Portugal (4.1 gha) in Footprint size, and by Spain (1.5 gha), Portugal (1.3 gha) and Italy (1.1 gha) in available biocapacity.

All countries in the group had large ecological deficits from 1961 to 2008; by 2008, Greece, Italy, and Spain all had similar-sized per capita deficits (approximately 3.3 gha), while Portugal had the smallest (2.8 gha). Portugal was also the sole country in the group to significantly narrow its ecological deficit in the last decade, from 3.4 gha per capita in 1998 to 2.8 gha per capita in 2008 (-18 percent).

Biocapacity from local assets was found to contribute less to each country's total ecological resource and service demand than the regional average (40 percent) in 2008: 32 percent of the total Ecological Footprint of consumption in Greece, 31 percent in Portugal and Spain, and 25 percent in Italy.

Among the group, Greece and Spain had the highest per capita Ecological Footprint of production (3.5 gha and 3.7 gha, respectively) and the gap between this latter and biocapacity contributed to 40 percent (Greece) and 47 percent (Spain) of the total demand. This indicates a




Figure 18: Ecological Footprint of production (EF_p) and consumption activities (EF_c) compared to available biocapacity (BC), for Greece, Italy, Portugal and Spain, 1961-2008.

relatively high reliance on local production activities to meet the demand for ecological resources and services of their residents. The Footprint embedded in net trade activities contributed the least to the Ecological Footprint of consumption (28 percent in Greece and 22 percent in Spain).

Conversely, the Ecological Footprint embedded in trade activities contributed to 37 percent of Italy's total

Ecological Footprint of consumption, and to 34 percent of Portugal's. This indicates a higher degree of dependence on ecological resources and services from outside national geographical borders compared to Greece and Spain. The gap between Ecological Footprint of production and biocapacity contributed to 37 percent (Italy) and 34 percent (Portugal) of the total Ecological Footprint.

A FOCUS ON TRADE FLOWS

The flow of resources through a country's economy is illustrated by Figure 19, where the size of the economy can be viewed as either the sum of inputs or the sum of outputs, which are equal. Inputs into the economy take the form of imports and domestic production, while outputs are either exported or consumed domestically.

Over the last five decades, growing populations and consumption levels have caused Greece, Italy, Portugal and Spain to increasingly turn to imports of ecological resources and services to fuel economic growth. As of 2008, the Ecological Footprint embedded in imports constituted approximately half of the total Footprint inputs to their domestic economies, with values ranging from 40 percent (Greece and Spain) to 46 percent (Italy and Portugal). At the same time, the Ecological Footprint embedded in exports contributed less than one-fifth of the total Footprint outputs, with values ranging from 11 percent (Italy) to 17 percent (Portugal).

Figure 19: Flow of resources through a country's economy. Inputs to a country's economy can be in the form of local production or imports. Outputs from a country's economy can be in the form of exports or internal consumption. The sum of the inputs is equal to the sum of outputs; from the Ecological Footprint point of view this relationship can be expressed as $EF_p + EF_i = EF_c + EF_e$.





Figure 20: Percentage contribution to total resource and services inputs (in global hectares) to countries' economy from Ecological Footprint of production and the Footprint embedded in imports, by region in 2008. Each region is shaded according to its ecological deficit situation, from dark red (large deficit) to dark green (large reserve).



Several of the trading partners on which Greece, Italy, Portugal and Spain rely for essential inputs are themselves experiencing growing resource constraints. As Figure 20 illustrates, the EU was the largest source of imports in 2008. But the large ecological deficit of this region suggests that these trade flows cannot be easily maintained long-term, risking price volatility or supply disruptions for importing countries.

Spain's relatively low reliance on imports, and a trade pattern with a greater weighting toward ecological creditor regions (such as Latin America), makes it the least exposed of the group to such shocks. Italy appears to have the greatest exposure, with a relatively high reliance on imports and a trade pattern that includes a large percentage of imports from the ecological debtor Asia-Pacific region.

Exporters of resources and services are also vulnerable. Volatile commodity prices can impede effective revenue management. The greatest risk, however, is to those countries whose Footprint of production highly exceeds the local biocapacity, increasing the likelihood of a gradual reduction in the bioproductive capacity of their ecological assets. This situation is common for all four countries in the group, and particularly relevant in Spain.

Figure 21 shows that all four countries predominantly export embedded Footprint to the EU, with Greece also exporting 13 percent of the production of its ecological assets to the Asia-Pacific region. Spain has the greatest fraction of resource outputs going to exports rather than to domestic consumption; this suggests that the country is best placed to take advantage of higher resource prices, but it also exposes Spain to a worsening trade balance should the country experience sudden drops in its ability to produce resources.

IDENTIFYING FOOTPRINT HOTSPOTS

Events since 2008 have highlighted structural weaknesses in the group's economies. However, while the financial risks of Greece, Italy, Portugal and Spain have become evident to analysts, the rapid growth of their ecological deficits has remained largely unnoticed.

Figure 22 highlights the group's consumption patterns in 2008 by showing the Ecological Footprint of an average resident broken down into its main categories of consumption.

While "Food and non-alcoholic beverages" dominated the

consumption profile of all four countries, the breakdown provided in Figure 22 indicates that this category had a lower contribution toward the total Footprint in Italy and Spain than the regional average (18 percent versus 27 percent). In Spain, this was largely counterbalanced by the greater contribution to the Ecological Footprint from "Recreation and culture" and government consumption (Gov.) categories; a greater contribution from the "Restaurants and hotels" category was found in Italy.

Portugal's low contribution from the "Housing, water, electricity, gas and other fuels" consumption category was anomalous, whereas it exceeded the regional






Figure 21: Percentage of total resource and services outputs (in global hectares) from the economy going to domestic consumption (EF_c) and exports (EF_e) by region, in 2008. Each region is shaded according to its ecological deficit situation, from dark red (large deficit) to dark green (large remainder). The vast majority of resource outputs go to support domestic consumption in all four countries, with little being exported.

average in the “Alcoholic beverages, tobacco and narcotics” category. Greece saw a large contribution to its Ecological Footprint from private and public investment (GFCF), and a correspondingly low contribution from government consumption.


The “Transportation” category was a significant contributor to all four countries’ Ecological Footprint.




MEDITERRANEAN REGION




PORTUGAL




ITALY



GREECE



SPAIN



Examination of the group’s specific areas of ecological resource dependence identifies Footprint hotspots and indicates potential areas of intervention for government and private sector decision-makers. Although with differences among Greece, Italy, Portugal and Spain, the analysis identified “Food and non-alcoholic beverages”, personal “Transportation” and “Housing, water, electricity, gas and other fuels” as the consumption categories with the highest Ecological Footprint, which would benefit from timing government and businesses actions.

Figure 22: Breakdown of the per capita Ecological Footprint of an average resident in Greece, Italy, Portugal and Spain, in 2008, as a percentage of the Mediterranean average. The chart indicates how much of the Ecological Footprint of consumption is paid for directly by government (Gov.), how much is for expenditure of long-lasting goods (GFCF) and how much is directly paid for by household for short-lived goods within 6 main consumption categories.

“Global Footprint Network, MAVA Foundation, Plan Bleu, WWF Mediterranean and UNESCO Office in Venice call on governments and international institutions to consider Ecological Footprint and biocapacity to assess the state of ecological assets, and to measure progress towards sustainable development and green economy in the Mediterranean region.”

Global Footprint Network’s Ecological Footprint Initiative in the Mediterranean Region is based on a simple premise: Human societies and economies depend on the biosphere’s many resources and life-supporting ecological services. As demand on these ecological resources and services increases, accelerating global ecological overshoot and pushing more countries into large ecological deficits, economic success can no longer be secured without carefully managing and tracking the demand on, and availability of, the regenerative capacity of Earth’s ecological assets. Tools are thus needed to illustrate the scale of change we are witnessing, and to provide a platform for weighing the policy options that will help nations remain competitive in an increasingly resource-constrained world.

This report aimed at providing an overview of the ecological demand and supply situation for the Mediterranean region and its countries—their ecological bank statements—through use of the Ecological Footprint and biocapacity indicators. Global Footprint Network has published this report and its executive summary, “Why Are Resource Limits Now Undermining Economic Performance?”, to stimulate a deeper investigation into the implications of growing ecological deficits for the Mediterranean region’s ecosystems and economies.

Key findings show the socio-economic implications of resource constraints in the Mediterranean and the precarious position of individual countries and the region as a whole:

■ DEMAND OUTSTRIPS SUPPLY

From 1961 to 2008, the Mediterranean’s per capita Ecological Footprint grew by 52 percent (from 2.1 to 3.1 gha) while per capita biocapacity decreased by 16 percent (from 1.5 gha to 1.3 gha). In less than 50 years, the Mediterranean region nearly tripled its demands for ecological resources and services, and increased its ecological deficit by 230 percent.

■ SUPPLY AND DEMAND TODAY

As of 2008, the region’s Ecological Footprint exceeds its local biocapacity by more than 150 percent, and the ecological deficit situation had spread to every Mediterranean country (Montenegro is a possible exception, but data is incomplete).

■ INCOME AND FOOTPRINT SIZE

The higher the income of a country, the greater was its demand for ecological resources and services. Three countries alone contributed more than 50 percent of the region’s total Ecological Footprint in 2008: France (21 percent), Italy (18 percent) and Spain (14 percent).

■ BIOCAPACITY IS UNEQUALLY DISTRIBUTED

Three countries alone provided more than 50 percent of the biocapacity of the region: France (31 percent), Turkey (15 percent) and Italy (11 percent).

■ PER CAPITA ECOLOGICAL FOOTPRINT RANKINGS

The Former Yugoslavian Republic of Macedonia had the region’s largest per capita Ecological Footprint (5.4 gha) in 2008, followed by Slovenia (5.2 gha) and Greece (4.9 gha). The smallest per capita Footprint were found in Morocco (1.3 gha), Montenegro (1.2 gha) and the Occupied Palestinian Territories (0.5 gha).

■ PER CAPITA BIOCAPACITY RANKINGS

France (3.0 gha), Croatia (2.9 gha) and Slovenia (2.6 gha) had the most per capita biocapacity available, while Cyprus (0.2 gha), Jordan (0.2 gha) and the Occupied Palestinian Territories (0.1 gha) had the least. The disparity in per capita biocapacity is mainly due to biophysical and climatic conditions—for example, water shortages affecting land productivity—as well as population density.

■ INDIVIDUAL COUNTRY TRENDS

Algeria experienced the most significant change, moving from the largest ecological reserve in the region in 1961 to an ecological deficit in 2008. Morocco, Libya, Syria, Tunisia and Turkey also shifted from ecological creditor to debtor status during this period, while the other Mediterranean countries saw an increase in their ecological deficits. Cyprus experienced the largest deficit increase, and Jordan the smallest.

■ REGION'S BIGGEST ECOLOGICAL DEBTORS

In 2008, the five Mediterranean countries with the highest total ecological deficits were Italy, Spain, France, Turkey and Egypt. Italy alone, with an ecological deficit of more than 200 million global hectares, contributed to almost a quarter of the Mediterranean's total ecological deficit.

■ ONE EXCEPTION TO REGIONAL TRENDS

Portugal is the sole country in the Mediterranean region to have significantly narrowed its ecological deficit in recent years (an 18 percent decrease between 1998 and 2008). But the country's per capita deficit (2.8 gha) is still higher than the regional average (1.9 gha).

■ HUMAN DEVELOPMENT

Human development (as measured by the HDI) has significantly increased in the Mediterranean region over the last 30 years. But this has come at the cost of growing ecological deficits, as an increasing per capita Footprint has caused regional consumption habits to exceed minimum conditions for global sustainability.

■ FOOTPRINT HOTSPOTS AND MITIGATION OPPORTUNITIES

"Food and non-alcoholic beverages", "Transportation" and "Housing, water, electricity, gas and other fuels" are the consumption categories most contributing to the Ecological Footprint of Mediterranean's residents. Actions and policies are needed in these priority areas to improve efficiency in the use of ecological assets and to start reversing ecological deficits.

The Mediterranean region has been running an ecological deficit for more than 50 years, with its Ecological Footprint increasingly exceeding biocapacity. With local ecological constraints, economic growth has therefore depended ever more on importing biocapacity. The disparity between demand and supply—the ecological deficit—has made the economic stability of the Mediterranean region and countries highly dependent on the availability of healthy global ecological assets, and the financial capacity to pay for these assets.

However, Global Footprint Network's data show that global ecological overshoot also increased during the 47-year period analyzed for this study. By 2008, humanity was using 52 percent more resources and ecological services than were available globally. A global competition for biocapacity is heating up.

These trends have led Mediterranean economies into a particularly vulnerable position, as the region's ongoing economic crisis further constrains its ability to meet resource and ecological service needs.

How can the region address these risks? Even in this resource-constrained world, countries can remain economically successful. Indeed, with the right tools, leaders can choose strategies that both reverse the trends of shrinking supply and growing demand *and* help their populations thrive in this new era. But how

Mediterranean countries manage their supply of and demand on biocapacity will be central to their long-term ability to remain economically competitive and to provide for the well-being of their people.






Figure 23: Per capita Ecological Footprint (red line), biocapacity (green line), ecological deficit (shaded red) and ecological reserve (shaded green) for 24 Mediterranean countries studied in this report (all countries with populations greater than 500,000 directly bordering the Mediterranean Sea plus Jordan, Macedonia and Portugal, which are ecologically characterized by Mediterranean biomes). For comparison, all country graphs have the same scale; for more details and country-specific information, see individual country factsheet at http://www.footprintnetwork.org/en/index.php/GFN/page/country_fact_sheets.


LIBYA (LY)




FYR OF MACEDONIA (MK)




MALTA (MT)




MONTENEGRO (ME)




MOROCCO (MA)




OCCUPIED PALESTINIAN TERRITORIES (PS)




PORTUGAL (PT)




SLOVENIA (SI)




SPAIN (ES)




SYRIA (SY)



TUNISIA (TN)



TURKEY (TR)



— Ecological Footprint
- - - Biocapacity

APPENDIX A: CALCULATING THE ECOLOGICAL FOOTPRINT

The National Footprint Accounts track countries' use of ecological services and resources as well as the biocapacity available in each country. As with any resource accounts, they are static, quantitative descriptions of outcomes, for any given year in the past for which data exist. The detailed calculation methodology of the most updated Accounts—the National Footprint Accounts 2011 Edition—is described in Borucke et al. (2013). The National Footprint Accounts 2011 Edition calculates the Ecological Footprint and biocapacity for about 150 countries and regions, from 1961 to 2008. A short description of the methodology and the data needs is also provided below.

ECOLOGICAL FOOTPRINT

The National Footprint Accounts 2011 Edition track human demand for resources and ecological services in terms of six major land use types (cropland, grazing land, forest land, carbon Footprint, fishing grounds, and built-up land). With the exception of built-up land and forest for carbon dioxide uptake, the Ecological Footprint of each major land use type is calculated by summing the contributions of a variety of specific products. Built-up land reflects the bioproductivity compromised by infrastructure and hydropower. Forest land for carbon dioxide uptake represents the carbon absorptive capacity of a world average hectare of forest needed to absorb anthropogenic CO₂ emissions, after having considered the ocean sequestration capacity (also called the carbon Footprint).

The Ecological Footprint calculates the combined demand for ecological resources and services wherever they are located and presents them as the global average area needed to support a specific human activity. This quantity is expressed in units of global hectares, defined as hectares of bioproductive area with world average bioproductivity. By expressing all results in a common unit, biocapacity and Footprints can be directly compared across land use types and countries.

Demand for resource production and waste assimilation are translated into global hectares by dividing the total amount of a resource consumed by the yield per hectare, or dividing the waste emitted by the absorptive capacity per hectare. Yields are calculated based on various international statistics, primarily those from the United Nations Food and Agriculture Organization (FAO ResourceSTAT Statistical Databases). Yields are mutually exclusive: If two crops are grown at the same time on the same hectare, one portion of the hectare is assigned to one crop, and the remainder to the other. This avoids double counting. This follows the same logic as measuring the size of a farm: Each hectare is only counted once, even though it might provide multiple services.

The Ecological Footprint, in its most basic form, is calculated by the following equation:

$$EF = \frac{D_{\text{ANNUAL}}}{Y_{\text{ANNUAL}}}$$

where D is the annual demand of a product and Y is the annual yield of the same product (Monfreda et al., 2004; Galli et al., 2007). Yield is expressed in global hectares. In practice, global hectares are estimated with the help of two factors: The yield factors (that compare national average yield per hectare to world average yield in the same land category) and the equivalence factors (which capture the relative productivity among the various land and sea area types).

Therefore, the formula of the Ecological Footprint becomes:

$$EF = \frac{P}{Y_N} \cdot YF \cdot EQF$$

where P is the amount of a product harvested or waste emitted (equal to D above), Y_N is the national average yield for P, and YF and EQF are the yield factor and equivalence factor, respectively, for the country and land use type in question. The yield factor is the ratio of national- to world-average yields. It is calculated as the annual availability of usable products and varies by country and year. Equivalence factors translate the area supplied or demanded of a specific land use type (e.g., world average cropland, grazing land, etc.) into units of world average biologically productive area (global hectares) and vary by land use type and year.

Annual demand for manufactured or derivative products (e.g., flour or wood pulp), is converted into primary product equivalents (e.g., wheat or roundwood) through the use of extraction rates. These quantities of primary product equivalents are then translated into an Ecological Footprint. The Ecological Footprint also embodies the energy required for the manufacturing process.

CONSUMPTION, PRODUCTION, AND TRADE

The National Footprint Accounts calculate the Footprint of a population from a number of perspectives. Most commonly reported is the Ecological Footprint of consumption of a population, typically just called the Ecological Footprint. The Ecological Footprint of consumption for a given country measures the biocapacity demanded by the final consumption of all the residents of the country. This includes their household consumption as well as their collective consumption, such as schools, roads, fire brigades, etc., which serve the household, but may not be directly paid for by the households.

In contrast, a country's primary production Ecological Footprint is the sum of the Footprints for all resources harvested and waste generated within the country's geographical borders. This includes all the area within a country necessary for supporting the actual harvest of primary products (cropland, grazing land, forest land, and fishing grounds), the country's infrastructure and hydropower (built-up

land), and the area needed to absorb fossil fuel carbon dioxide emissions generated within the country (carbon Footprint).

The difference between the production and consumption Footprint is trade, shown by the following equation:

$$EF_C = EF_P + EF_I - EF_E$$

where EF_C is the Ecological Footprint of consumption, EF_P is the Ecological Footprint of production, and EF_I and EF_E are the Footprints of imported and exported commodity flows, respectively.

BIOCAPACITY

A national biocapacity calculation starts with the total amount of bioproductive land—or ecological assets—available. “Bioproductive” refers to land and water that supports significant photosynthetic activity and accumulation of biomass, ignoring barren areas of low, dispersed productivity. This is not to say that areas such as the Sahara Desert, Antarctica, or Alpine mountaintops do not support life; their production is simply too widespread to be directly harvestable by humans. Biocapacity is an aggregated measure of the amount of land available, weighted by the productivity of that land. It represents the ability of the biosphere to produce crops, livestock (pasture), timber products (forest), and fish, as well as to uptake carbon dioxide in forests. It also includes how much of this regenerative

capacity is occupied by infrastructure (built-up land). In short, it measures the ability of available terrestrial and aquatic areas to provide ecological resources and services. A country’s biocapacity for any land use type is calculated as:

$$BC = A \cdot YF \cdot EQF$$

where BC is the biocapacity, A is the area available for a given land use type, and YF and EQF are the yield factor and equivalence factor, respectively, for the country land use type in question.

ENVIRONMENTALLY EXTENDED INPUT-OUTPUT ANALYSIS FOR THE ECOLOGICAL FOOTPRINT

Two sets of data are utilized to link Greece, Italy, Portugal and Spain’s Ecological Footprint with economic activities: (1) National Footprint Accounts and (2) national input-output tables presented in basic prices.

Monetary input-output tables were first proposed by Wassily Leontief in the early 20th century. The use of input-output analysis to support physical flow accounting gained early acceptance for energy and pollution analysis in the 1970s. Environmentally Extended Input-Output (EEIO) models have been utilized for material and energy flow accounting and land use accounting to forecast trends and measure eco-efficiency.

For the analysis in this report, we utilize the Global Trade, Assistance, and Production (GTAP) data from Purdue University

Center for Global Trade Analysis. The GTAP 7 Data Base contains data for 113 global regions and 57 industry sectors. Environmentally extended input-output analysis for the Ecological Footprint requires three key calculations in order to obtain results by industry sectors and final demand: (1) Leontief inverse, (2) physical intensity for Ecological Footprint, and (3) total Footprint intensity.

The Leontief inverse calculation provides the direct and indirect requirements of any industry supplied by other industries to deliver one unit of output for final demand. The physical intensity for the Ecological Footprint is calculated by dividing the Ecological Footprint by each land use type reported in the National Footprint Accounts by the total output for final demand, including imports. This represents the direct required Footprint per unit of currency spent. The total Footprint intensity provides the direct and indirect Footprints of industrial sectors to provide one unit of production to final demand—including the entire supply chain. This total Footprint intensity is calculated by multiplying the physical intensity by the Leontief inverse.

Results are then presented according to the final demand categories such as household consumption, government consumption, and gross fixed capital formation. The household consumption results can be further disaggregated according to the Classification of Individual Consumption by Purpose (COICOP). A Consumption Land Use Matrix (CLUM) can be created

by combining the Ecological Footprint of household consumption, government consumption, and gross fixed capital with the results from the National Footprint Accounts by land use type.

Dataset	Source	Data Description	Dataset	Source	Data Description
Production of primary agricultural products	FAO ProdSTAT	Data on physical quantities (tonnes) of primary products produced in each of the considered countries	Cropland yields	FAO ProdSTAT	World average yield for 164 primary crop products
Production of crop-based feeds used to feed animals	Feed from general marketed crops data is directly drawn from the SUA/FBS from FAOSTAT Data on crops grown specifically for fodder is drawn directly from the FAO ProdSTAT	Data on physical quantities (tonnes) of feeds, by type of crops, available to feed livestock	National yield factors for cropland	Calculated by Global Footprint Network based on cropland yields and country specific unharvested percentages	Country specific yield factors for cropland
Production of seeds	Data on crops used as seeds is calculated by Global Footprint Network based on data from the FAO ProdSTAT	Data on physical quantities (tonnes) of seed	Grazing land yields	Chad Monfreda (personal communication), 2008. SAGE, University of Wisconsin, Madison	World average yield for grass production. It represents the average above ground edible net primary production for grassland available for consumption by ruminants
Import and Export of primary and derived agricultural and livestock products	FAO TradeSTAT	Data on physical quantities (tonnes) of products imported and exported by each of the considered countries	Fish yields	Calculated by Global Footprint Network based on several data sources including: <ul style="list-style-type: none"> Sustainable catch value (Gulland, 1971) Trophic levels of fish species (Fishbase Database available at www.fishbase.org) Data on discard factors, efficiency transfer, and carbon content of fish per tonne wet weight (Pauly and Christensen, 1995) 	World-average yields for fish species. They are based on the annual marine primary production equivalent
Import and Export of non-agricultural commodities	COMTRADE	Data on physical quantities (kg) of products imported and exported by each of the considered countries	Forest yields	World average forest yield calculated by Global Footprint Network based on national Net Annual Increment (NAI) of biomass. NAI data is drawn from two sources: <ul style="list-style-type: none"> Temperate and Boreal Forest Resource Assessment - TBFRA (UNECE and FAO 2000) Global Fiber Supply Model - GFSM (FAO, 1998) 	World average forest yield. It is based on the forests' Net Annual Increment of biomass. NAI is defined as the average annual volume over a given reference period of gross increment less that of neutral losses on all trees to a minimum diameter of 0 cm (d.b.h.)
Livestock crop consumption	Calculated by Global Footprint Network based upon the following datasets: <ul style="list-style-type: none"> FAO Production for primary Livestock Haberl et al., 2007. 	Data on crop-based feed for livestock (tonnes of dry matter per year), split into different crop categories	Carbon Uptake land yield	Calculated by Global Footprint Network based on data on terrestrial carbon sequestration (IPCC 2006) and the ocean sequestration percentage (Khatriwala et al., 2009) Further details can be found in (Gracey et al., 2012)	World average carbon uptake capacity. Though different ecosystems have the capacity to sequester CO ₂ , carbon uptake land is currently assumed to be forest land only by the Ecological Footprint methodology
Production of primary forestry products as well as import and export of primary and derived forestry products	FAO ForeSTAT	Data on physical quantities (tonnes and m ³) of products (timber and wood fuel) produced, imported and exported by each country	Equivalence Factors (EQF)	Calculated by Global Footprint Network based on data on land cover and agricultural suitability Data on agricultural suitability is obtained from the Global Agro-Ecological Zones (GAEZ) model (FAO and IIASA, 2000). Land cover data drawn from the FAO ResourceSTAT database	EQF for crop, grazing, forest and marine land. Based upon the suitability of land as measured by the Global Agro-Ecological Zones model
Production of primary fishery products as well as import and export of primary and derived fishery products	FAO FishSTAT	Data on physical quantities (tonnes) of marine and inland fish species landed as well as import and export of fish commodities	Built-up/infrastructure areas	A combination of data sources is used, in the following order of preference: <ol style="list-style-type: none"> CORINE Land Cover FAO ResourceSTAT Global Agro-Ecological Zones (GAEZ) Model Global Land Cover (GLC) 2000 Global Land Use Database from the Center for Sustainability and the Global Environment (SAGE) at University of Wisconsin 	Built-up areas by infrastructure type and country. Except for data drawn from CORINE for European countries, all other data sources only provide total area values
Carbon dioxide emissions by sector	International Energy Agency (IEA)	Data on total amounts of CO ₂ emitted by each sector of a country's economy			

APPENDIX B: THE CARBON-PLUS APPROACH

Trends in Figure 2 illustrate the rapid growth of human demand for ecological assets: Human demand is primarily made of, though not limited to, demand for the biosphere's capacity to sequester carbon. Earth's natural carbon cycle is out of balance. CO₂ molecules are being released into the atmosphere faster than they can be sequestered, and a larger surface of photosynthetic lands is now required to absorb the extra CO₂ responsible for this imbalance (Kitzes et al., 2009). Demand for carbon sequestration is growing unabated—as global population grows, standards of living improve and demand for energy and energy-intensive products increases (Krausmann et al., 2009).

However, while significant, carbon sequestration accounted for just over half of total world-average demand on the planet's ecological assets in 2008. The world's appetite for water, food, timber, marine and many other resources is also highly relevant to the overall health of the biosphere. Climate change is currently seen as the most impending environmental issue, but it is just one of the many symptoms of humanity's overconsumption of Earth's ecological assets.

Solving the sustainability challenge therefore requires a holistic approach, one that can tackle multiple issues concurrently. Without a way of measuring the status (and human rate of use) of our ecological assets, it is easy for policy-makers to

ignore the impossibility of infinite growth and remain entangled in ideological debates over the "affordability of sustainability." Clear metrics are needed to change these ideological debates into discussions based on empirical facts, and the Ecological Footprint could be one of them. Understanding what the real risks are will then facilitate building consensus over the actions needed to address them.

Former French President Nicolas Sarkozy's "Commission on the Measurement of Economic Performance and Social Progress" (also known as the "Stiglitz Commission") emphasized the importance of complementing GDP with physical indicators for monitoring environmental sustainability. Their report highlighted the Ecological Footprint and one of its most significant components, the carbon Footprint.

While the Stiglitz Commission favored a focus only on the Carbon Footprint—due to current carbon interest and the already established carbon accounting practices—for the reasons above Global Footprint Network argues that a "carbon plus" view is necessary to understand the significance of current environmental trends and to take a comprehensive, more effective approach that tackles the full palette of human demands on the biosphere's regenerative capacity.

Global Footprint Network argues that a "carbon plus" view is necessary to understand the significance of current environmental trends and to take a comprehensive, more effective approach that tackles the full palette of human demands on the biosphere's regenerative capacity.

How is the Ecological Footprint calculated?

The Ecological Footprint measures the amount of biologically productive land and water area required to produce the resources an individual, population or activity consumes and to absorb the waste it generates, given prevailing technology and resource management.

This area is expressed in global hectares (hectares with world-average biological productivity). Footprint calculations use yield factors to normalize countries' biological productivity to world averages (e.g., comparing tonnes of wheat per UK hectare versus per world average hectare) and equivalence factors to take into account differences in world average productivity among land types (e.g., world average forest versus world average cropland).

Footprint and biocapacity results for countries are calculated annually by Global Footprint Network. Collaborations with national governments are invited, and serve to improve the data and methodology used for the National Footprint Accounts. To date, Switzerland has completed a review, and Belgium, Ecuador, Finland, Germany, Ireland, Japan and the UAE have partially reviewed or are reviewing their accounts. The continuing methodological development of the National Footprint Accounts is overseen by a formal review committee. A detailed methods paper and

copies of sample calculation sheets can be obtained from www.footprintnetwork.org.

Footprint analyses can be conducted at any scale. There is growing recognition of the need to standardize sub-national Footprint applications in order to increase comparability across studies and time. Methods and approaches for calculating the Footprint of municipalities, organizations and products are being aligned through a global Ecological Footprint standards initiative. For more information on Ecological Footprint standards see www.footprintstandards.org.

What is a global hectare (gha)?

A productivity-weighted area used to report both the biocapacity of Earth, and the demand on biocapacity (the Ecological Footprint). The global hectare is normalized to the area-weighted average productivity of biologically productive land and water in a given year. Because different land types have different productivity, a global hectare of cropland, for example, would occupy a smaller physical area than the much less biologically productive pasture land, as more pasture would be needed to provide the same biocapacity as one hectare of cropland. In the National Footprint Accounts 2011 Edition, a constant 2008 global hectare value—a hectare normalized to have world-average bioproductivity in a single reference year (2008)—was used to

calculate Ecological Footprint and biocapacity values (Borucke et al., 2013).

What is included in the Ecological Footprint? What is excluded?

To avoid exaggerating human demand on nature, the Ecological Footprint includes only those aspects of resource consumption and waste production for which the planet has regenerative capacity, and where data exists that allow this demand to be expressed in terms of productive area. For example, toxic releases are not accounted for in Ecological Footprint accounts. Nor are freshwater withdrawals, although the energy used to pump or treat water is included.

Ecological Footprint accounts provide snapshots of past resource demand and availability. They do not predict the future. Thus, while the Footprint does not estimate future losses caused by current degradation of ecosystems, if this degradation persists it may be reflected in future accounts as a reduction in biocapacity.

Footprint accounts also do not indicate the intensity with which a biologically productive area is being used. Being a biophysical measure, it also does not evaluate the essential social and economic dimensions of sustainability.

How is international trade taken into account?

The National Footprint Accounts calculate the Ecological Footprint associated

with each country's total consumption by summing the Footprint of its imports and its production, and subtracting the Footprint of its exports. This means that the resource use and emissions associated with producing a car that is manufactured in Japan, but sold and used in Italy, will contribute to Italy's rather than Japan's consumption Footprint.

National consumption Footprints can be distorted when the resources used and waste generated in making products for export are not fully documented for every country. Inaccuracies in reported trade can significantly affect the Footprint estimates for countries where trade flows are large relative to total consumption. However, this does not affect the total global Footprint.

How does the Ecological Footprint account for the use of fossil fuels?

Fossil fuels such as coal, oil and natural gas are extracted from Earth's crust and are not renewable in ecological time spans. When these fuels burn, carbon dioxide is emitted into the atmosphere. There are two ways in which this CO₂ can be stored: human technological sequestration of these emissions, such as deep-well injection, or natural sequestration. Natural sequestration occurs when ecosystems absorb CO₂ and store it either in standing biomass, such as trees, or in soil.

The carbon Footprint of the Ecological Footprint is calculated by estimating how much natural sequestration would be necessary to maintain a constant

concentration of CO₂ in the atmosphere. After subtracting the amount of CO₂ absorbed by the oceans, Ecological Footprint accounts calculate the area required to absorb and retain the remaining carbon based on the average sequestration rate of the world's forests. CO₂ sequestered by artificial means would also be subtracted from the Ecological Footprint total, but at present, this quantity is negligible.

Expressing CO₂ emissions in terms of an equivalent bioproductive area does not imply that carbon sequestration in biomass is the key to resolving global climate change. On the contrary, it shows that the biosphere has insufficient capacity to offset current rates of anthropogenic CO₂ emissions. The contribution of CO₂ emissions to the total Ecological Footprint is based on an estimate of world average forest yields. This sequestration capacity may change over time. As forests mature, their CO₂ sequestration rates tend to decline. If these forests are degraded or cleared, they may become net emitters of CO₂.

Carbon emissions from some sources other than fossil fuel combustion are incorporated in the National Footprint Accounts at the global level. These include fugitive emissions from the flaring of gas in oil and natural gas production, carbon released by chemical reactions in cement production and emissions from tropical forest fires.

How does the Ecological Footprint account for carbon emissions absorbed by the oceans versus uptake by forests?

The National Footprint Accounts calculate the carbon Footprint component of the Ecological Footprint by considering sequestration from the world's oceans and forests.

Annual ocean uptake values are taken from Khatiwala et al. (2009) and used with the anthropogenic carbon emissions taken from CDIAC (2011). There is a relatively constant percentage uptake for oceans, varying between 28 per cent and 35 per cent over the period 1961 – 2008. The remaining CO₂ requires land based sequestration. Due to the limited availability of large-scale datasets, the calculation assumes the world average sequestration rate for uptake of carbon dioxide into forests. The carbon Footprint, as calculated within the Ecological Footprint methodology, is thus a measure of the area of world average forest land that is necessary to sequester the carbon dioxide emissions that are not absorbed into the world's oceans.

Does the Ecological Footprint take into account other species?

The Ecological Footprint compares human demand on biodiversity with the natural world's capacity to meet this demand. It thus serves as an indicator of human pressure on local and global ecosystems. In 2008, humanity's demand exceeded the biosphere's regeneration rate by more than 50 percent. This overshoot

may result in depletion of ecosystems and overloading of waste sinks. This ecosystem stress may negatively affect biodiversity. However, the Footprint does not measure this latter impact directly, nor does it specify how much overshoot must be reduced if negative impacts are to be avoided.

Does the Ecological Footprint say what is a "fair" or "equitable" use of resources?

The Footprint documents what has happened in the past. It can quantitatively describe the ecological resources used by an individual or a population, but it does not prescribe what they should be using. Resource allocation is a policy issue, based on societal beliefs about what is or is not equitable. While Footprint accounting can determine the average biocapacity that is available per person, it does not stipulate how this biocapacity should be allocated among individuals or countries. However, it does provide a context for such discussions.

How relevant is the Ecological Footprint if the supply of renewable resources can be increased and advances in technology can slow the depletion of non-renewable resources? The Ecological Footprint measures the current state of resource use and waste generation. It asks: In a given year, did human demands on ecosystems exceed the ability of ecosystems to meet these demands? Footprint analysis reflects both increases in the productivity of renewable

resources and technological innovation (for example, if the paper industry doubles the overall efficiency of paper production, the footprint per tonne of paper will halve).

Ecological Footprint Accounts capture these changes once they occur and can determine the extent to which these innovations have succeeded in bringing human demand within the capacity of the planet's ecosystems. If there is a sufficient increase in ecological supply and a reduction in human demand due to technological advances or other factors, National Footprint Accounts will show this as the elimination of global overshoot.

For additional information about current Ecological Footprint methodology, data sources, assumptions and results, please refer to Borucke et al., 2013: "Accounting for demand and supply of the Biosphere's regenerative capacity: the National Footprint Accounts' underlying methodology and framework". *Ecological Indicators*, 24, 518-533.

ASSETS

Durable capital that is either owned or able to be used in production, whether natural, manufactured, or human. Assets are not directly consumed, but yield products and/or services that people do consume. Ecological assets are defined as the biologically productive land and sea areas that generate the renewable resources and ecological services that humans demand.

BIOCAPACITY

The ability of ecological assets to produce useful biological materials and ecological services such as absorbing CO₂ emissions generated by humans, using current management schemes and extraction technologies. Biocapacity is measured in global hectares. Useful biological materials are defined as those materials that the human economy actually demanded in a given year. Biocapacity includes only biologically productive land: cropland, forest, fishing grounds, grazing land, built-up land; deserts, glaciers, and the open ocean are excluded.

CARBON FOOTPRINT

When used in Ecological Footprint studies, it indicates the demand on biocapacity required to sequester (through photosynthesis) the carbon dioxide (CO₂) emissions from fossil fuel combustion. Although fossil fuels are extracted from Earth's crust and are not regenerated in human time scales, their use demands ecological services if the resultant CO₂ is not to accumulate in the atmosphere. The Ecological Footprint therefore includes a carbon Footprint component, which represents the biocapacity (typically that of unharvested forests) needed to absorb that fraction of fossil CO₂ that is not absorbed by the ocean. The carbon Footprint component of the Ecological

Footprint should not be confused with the "Carbon Footprint" indicator used in the climate change debate. This latter indicates the tonnes of carbon (or tonnes of carbon per euro) that are directly and indirectly caused by an activity or are accumulated over the life stages of a product, rather than demand on bioproductive area (see Galli et al., 2012 for details).

COMPETITIVENESS

The ability of a country to maintain and secure its prosperity.

CONSUMPTION

Use of goods or services. The term consumption has two different meanings, depending on context. As commonly used in Footprint analyses, it refers to the use of goods or services. A consumed good or service embodies all the resources, including energy, necessary to provide it to the consumer (aka embedded Footprint). In full life-cycle accounting, everything used along the production chain is taken into account, including any losses along the way. For example, consumed food includes not only the plant or animal matter people eat or waste in the household, but also that lost during processing or harvest, as well as all the energy used to grow, harvest, process and transport the food.

As used in Input Output analysis, consumption has a strict technical meaning. Two types of consumption are distinguished: intermediate and final. According to (economic) System of National Accounts terminology, intermediate consumption refers to the use of goods and services by a business in providing goods and services to other businesses. Final consumption refers to non-productive use of goods and services by households, the government, the capital sector, and foreign entities.

CONSUMPTION COMPONENTS (also consumption categories)

Ecological Footprint analyses can allocate total Footprint among consumption components, typically Food, Shelter, Mobility, Goods, and Services—often with further resolution into sub-components. Consistent categorization across studies allows for comparison of the Footprint of individual consumption components across regions, and the relative contribution of each category to the region's overall Footprint.

COUNTRY INCOME CATEGORIES

Countries are assigned to high-, middle- or low-income categories based on World Bank income thresholds; for this report, the 2008 Gross National Income (GNI) per person was used as threshold. This is calculated by dividing the gross national income of each country (converted to US dollars using the World Bank Atlas method), by the mid-year population (for more information see The World Bank, 2012). The categories are: Low income: ≤US\$1,026 GNI per person; Middle income: US\$1,026 -12,475 GNI per person (combines World Bank categories of lower middle and upper middle income); High income: ≥US\$12,475 GNI per person.

CURRENT ACCOUNT BALANCE

It indicates the difference between a country's savings and its investment. When the balance is positive (Current account surplus), it measures the portion of a country's saving invested abroad; conversely, when the balance is negative (Current account deficit), it measures the portion of domestic investment financed by foreigners' savings.

ECOLOGICAL DEFICIT (or biocapacity deficit)

The difference between the biocapacity and the Ecological Footprint of consumption of a region or country. An ecological deficit occurs when the Ecological Footprint of a population exceeds the biocapacity produced by the ecological assets available in the country where that population lives. If there is a regional or national ecological deficit, it means that the region is importing biocapacity through trade or liquidating regional ecological assets. In contrast, ecological overshoot cannot be compensated through trade.

ECOLOGICAL RESERVE (or Biocapacity reserve):

Again determined by the comparison between the biocapacity and the Ecological Footprint of consumption of a region or country, an ecological reserve exists when the biocapacity of a region exceeds its population's Ecological Footprint of consumption. Ecological reserve is thus the converse of ecological deficit. Although a country in ecological reserve may still import natural resources, over-use individual components of domestic resources, and emit carbon dioxide to the global commons, an ecological reserve indicates that a country may be capable of maintaining its current lifestyle utilizing only domestically available ecological assets.

ECOLOGICAL FOOTPRINT

A measure of the biologically productive land and sea area—the ecological assets—that a population requires to produce the renewable resources and ecological services it uses.

ECOLOGICAL FOOTPRINT OF CONSUMPTION

The Ecological Footprint of consumption is the most commonly reported type of Ecological Footprint. It is the area used to support a defined population's consumption. The Ecological Footprint of consumption (in global hectares) includes the area needed to produce the materials consumed and the area needed to absorb the waste. The consumption Footprint of a nation is calculated in the National Footprint Accounts as a nation's primary production Footprint plus the Footprint of imports minus the Footprint of exports, and is thus, strictly speaking, a Footprint of apparent consumption. The national average or per capita Ecological Footprint of consumption is equal to a country's Ecological Footprint of consumption divided by its population.

ECOLOGICAL FOOTPRINT OF PRODUCTION

In contrast to the Ecological Footprint of consumption, a nation's Ecological Footprint of production is the sum of the Footprints for all of the resources harvested and all of the waste generated within the defined geographical region. It represents the amount of ecological demand associated with generating the country's national income. The Footprint of production includes all the area within a country necessary for supporting the actual harvest of primary products (cropland, pasture land, forestland and fishing grounds), the country's built-up area (roads, factories, cities), and the area needed to absorb all fossil fuel carbon emissions generated by production activities within the country's geographical boundaries. For example, if a country grows cotton for export, the ecological resources and services required to produce such cotton are included in that

country's Ecological Footprint of production but are not included in its Ecological Footprint of consumption; rather, they are included in the Ecological Footprint of consumption of the country that imports the t-shirts.

ECOLOGICAL OVERSHOOT

Global ecological overshoot occurs when humanity's demand on the natural world exceeds the biosphere's supply, or regenerative capacity. Such overshoot leads to a depletion of Earth's life-supporting natural capital and a build-up of waste. At the global level, ecological deficit and overshoot are the same, since there is no net-import of resources to the planet. Local overshoot occurs when a local ecosystem is exploited more rapidly than it can renew itself.

EMBEDDED FOOTPRINT

The Ecological Footprint embedded in a product represents the amount of ecological assets demanded to produce that product. In the trade Footprint analysis, the Footprint embedded in a traded products represent the amount of global hectares needed to produce such product and/or sequester the CO₂ released during its processing in the country of production.

GLOBAL HECTARES (GHA)

A global hectare is defined as a hectare with world-average productivity for all biologically productive land and water in a given year. Biologically productive land includes areas such as cropland, forest, and fishing grounds, and excludes deserts, glaciers, and the open ocean. Global hectares are the common, standardized unit used for reporting Ecological Footprint and biocapacity across time and for areas

throughout the world. The use of global hectares recognizes that different types of land have a different ability to produce useful goods and services for humans. One hectare of cropland can produce a greater quantity of useful and valuable food products than a single hectare of grazing land, for example. By converting both cropland and pasture into global hectares, they can be compared on an equal basis. Additional information on the global hectares and the way they are calculated is provided in Borucke et al., (2013).

HUMAN DEVELOPMENT INDEX (HDI)

HDI is a summary composite index that measures a country's average achievements in three basic aspects of human development: Health—Life expectancy at birth (number of years a newborn infant would live if prevailing patterns of mortality at the time of birth were to stay the same throughout the child's life); Knowledge—The adult literacy rate and the combined primary, secondary and tertiary gross enrolment ratio; and Standard of living—GDP per capita (PPP US\$).

INPUT-OUTPUT ANALYSIS

Input-Output (IO) analysis is a mathematical tool widely used in economics to analyze the flows of goods and services between sectors in an economy, using data from IO tables. IO analysis assumes that everything produced by one industry is consumed either by other industries or by final consumers, and that these consumption flows can be tracked. If the relevant data are available, IO analyses can be used to track both physical and financial flows. Combined economic-environment models use IO analysis to trace the direct and indirect environmental impacts of in-

dustrial activities along production chains, or to assign these impacts to final demand categories. In Ecological Footprint studies, IO analysis is used to apportion Ecological Footprints among production activities, or among categories of final demand (or consumption categories).

NATIONAL FOOTPRINT ACCOUNTS

The central data set that calculates the Ecological Footprints and biocapacities of the world, and roughly 150 nations and territories from 1961 to the present (generally with a three-year lag due to data availability). The ongoing development, maintenance and upgrades of the National Footprint Accounts are coordinated by Global Footprint Network and its 70+ partners.

NET ECOLOGICAL FOOTPRINT OF TRADE

Embedded in trade among countries is a use of ecological resources and services needed to produce traded commodities (their embedded Footprint); the net Ecological Footprint of trade is defined as the Ecological Footprint of imports minus the Ecological Footprint of exports. When the Footprint embodied in exports is higher than that of imports, then a country is a net Footprint exporter; conversely, a country in which Footprint of imports is higher than that of exports is a net Footprint importer.

- Abdullatif**, L., Alam, T., 2011. The UAE Ecological Footprint Initiative: Summary report 2007-2010. Available at: http://awsassets.panda.org/downloads/en_final_report_ecological_footprint.pdf
- Barnard**, L., Cooney, H., Edwards, C., Etherington, K., Imwold, D., Jackson, H., Lord, M., Nally, J., Savage, A., Taylor, M. 2010. All of History. Elanora Heights, Australia: Millenium House.
- Barnosky**, A.D., Hadly, E.A., Bascompte, J., Berlow, E.L., et al., 2012. Approaching a state shift in Earth's biosphere. *Nature*, 486, 52-58.
- Blainey**, G. 2005. A Short History of the 20th Century. Chicago: Ivan R. Dee Publisher.
- Borucke**, M., Moore, D., Cranston, G., Gracey, K., Iha, K., Larson, J., Lazarus, E., Morales, J.C., Wackernagel, M., Galli, A. 2013. Accounting for demand and supply of the Biosphere's regenerative capacity: the National Footprint Accounts' underlying methodology and framework. *Ecological Indicators*, 24, 518-533. Also available at: http://www.footprintnetwork.org/images/uploads/Methods_Paper_2011.pdf
- Butchart**, S.H.M., Walpole, M., Collen, B., van Strien, A., et al., 2010. Global biodiversity: indicators of recent declines. *Science*, 328, 1164-1168.
- Costanza**, R. 1997. The value of the world's ecosystem services and natural capital. *Nature*, 387, 253-260.
- Daniels**, P., Hyslop, S. 2006. Almanac of World History. Washington, D.C.: National Geographic Society.
- DeFries**, R.S., Foley, J.A., Asner, G.P., 2004. Land-use choices: balancing human needs and ecosystem function. *Front. Ecol. Environ.*, 2 (5), 249-257.
- Diamond**, J. 2006. Collapse: How Societies Choose to Succeed or Fail. London: Penguin Books.
- DG Environment**, 2008. Potential of the Ecological Footprint for monitoring environmental impact from natural resource use. Available on-line: <http://ec.europa.eu/environment/natres/studies.htm>
- Dobbs**, R., Oppenheim, J., Thompson, F., Brinkman, M., Zornes, M. 2011. Resource Revolution: Meeting the World's energy, material, food and water needs. McKinsey & Company.
- Eurostat** 2006. http://epp.eurostat.ec.europa.eu/cache/ITY_OFFPUB/KS-AU-06-001/EN/KS-AU-06-001-EN.PDF
- Ewing** B., S. Goldfinger, A. Oursler, A. Reed, D. Moore, M. Wackernagel. 2010. The Ecological Footprint Atlas 2010. Oakland: Global Footprint Network.
- Galli**, A., Kitzes, J., Wermer, P., Wackernagel, M., Niccolucci, V., Tiezzi, E., 2007. An Exploration of the Mathematics behind the Ecological Footprint. *International Journal of Ecodynamics*, 2(4), 250-257.
- Galli**, A., Wiedmann, T., Ercin, E., Knoblauch, D., Ewing, B., Giljum, S. 2012. Integrating Ecological, Carbon and Water footprint into a "Footprint Family" of indicators: Definition and role in tracking human pressure on the planet. *Ecological Indicators*, 16, 100-112.
- Global Footprint Network**, 2011. National Footprint Accounts 2011 Edition. Available at: www.footprintnetwork.org.
- Global Footprint Network**, 2011. Resource Constraints and Economic Performance in Eastern Europe and Central Asia. Report to UNDP Bratislava, Global Footprint Network, Oakland, and UNDP, Bratislava. Available at: <http://www.undp.org/>
- Global Footprint Network**, 2012. Why Are Recourse Limits Now Undermining Economic Performance? Available at: www.footprintnetwork.org/med
- Heinberg**, R. 2007. Peak Everything: Waking Up to the Century of Decline in Earth's Resources. Forest Row: Clairview Books Ltd.
- Hoekstra**, A.Y., 2009. Human appropriation of natural capital: a comparison of ecological footprint and water footprint analysis. *Ecological Economics*, 68, 1963-1974.
- Huchet-Bourdon**, M., 2011. Agricultural Commodity Price Volatility: An Overview. OECD Food, Agriculture and Fisheries Working Papers, No. 52, OECD Publishing. <http://dx.doi.org/10.1787/5kg0t00nrthc-en>
- Khatiwala**, S. et al., 2009. Reconstruction of the history of anthropogenic CO2 concentrations in the ocean. *Nature*, 462, 346-350.
- Kitzes**, J., A. Galli, S.M. Rizk, A. Reed and M. Wackernagel. 2008. Guidebook to the National Footprint Accounts: 2008 Edition. Oakland: Global Footprint Network.
- Kitzes**, J., Galli, A., Bagliani, M., Barrett, J., et al., 2009. A Research Agenda for Improving National Ecological Footprint Accounts. *Ecological Economics*, 68 (7), 1991 - 2007.
- Krausmann**, F., Gingrich, S., Eisenmenger, N., Erb, K.H., Haberl, H., Fischer-Kowalski, M., 2009. Growth in global materials use, GDP and population during the 20th century. *Ecological Economics*, 68(10), 2696-2705.
- Monfreda**, C., Wackernagel, M., Deumling, D., 2004. Establishing national natural capital accounts based on detailed Ecological Footprint and biological capacity assessments. *Land Use Policy*, 21(3), 231-246.
- Moore**, D., Galli, A., Cranston, G.R., Reed, A. 2012. Projecting future human demand on the Earth's regenerative capacity. *Ecological Indicators*, 16, 3-10.

Robinson, J., Bradley, M., Busby, P., Connor, D., et al., 2006. Climate Change and Sustainable Development: Realizing the Opportunity. *Ambio*, 35(1), 2-8.

Rockström, R., Steffen, W., Noone, K., Persson, A., et al., 2009. A safe operating space for humanity. *Science*, 46, 472-475.

Sen, A. 2001. Development as freedom. Oxford University Press, Oxford.

Turner, G.H., 2008. A comparison of The Limits to Growth with 30 years of reality. *Global Environmental Change*, 18, 397-411.

UNDP (United Nations Development Programme), 2011. Human Development Report 2011. Sustainability and Equity: A Better Future for All. Published for the United Nations Development Programme (UNDP).

UNEP (United Nations Environment Programme), 2007. GEO4 Global Environment Outlook: environment for development. Progress Press Ltd, Malta.

UNEP Mediterranean Strategy for Sustainable development: a framework for environmental sustainability and shared prosperity. Mediterranean Action Plan (MAP), Mediterranean Commission on Sustainable Development (MCSD), 2006

UNEP/MAP-Plan Bleu State of the Environment and Development in the

Mediterranean, UNEP/MAP, Athens, October 2009.

UNEP/MAP-Plan Bleu , Benoit Guillaume (dir.), Comeau Aline (dir.) (2005). A sustainable future for the Mediterranean: the Blue Plan's environment and development outlook. Earthscan

Wackernagel, M., B. Schulz, D. Deumling, A. Callejas Linares, M. Jenkins, V. Kapos, C. Monfreda, J. Loh, N. Myers, R. Norgaard and J. Randers. 2002. Tracking the ecological overshoot of the human economy. *Proc. Natl. Acad. Sci.*, 99(14), 9266-9271.

Wackernagel, M., L. Onisto, P. Bello, Al. C. Linares, I. S. L. Falfán, J. M. García, A. I. S. Guerrero, Ma. G. S. Guerrero. 1999a. National natural capital accounting with the ecological footprint concept. *Ecological Economics*, 29, 375-390.

Wackernagel, M., Lewan, L., Hansson, C.B., 1999b. Evaluating the use of natural capital with the ecological footprint. *Ambio*, 28, 604-612.

World Bank, 2011. World Development Indicators & Global Development Finance (World

Bank, Washington, DC, December 2011. Available at: <http://databank.worldbank.org>.

World Bank, 2012. Commodity Price Data (a.k.a. Pink Sheet). Available

at <http://data.worldbank.org/data-catalog/commodity-price-data> [Accessed May 2012].

COUNTRY	ECOLOGICAL FOOTPRINT COMPONENTS								
	Population	Total Ecological Footprint	Per capita Ecological Footprint	Cropland Footprint	Grazing land Footprint	Forest Footprint	Fishing ground Footprint	Carbon Footprint	Built up Footprint
	[millions]	[million gha]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]
Albania	3,181,000	5.76	1.81	0.71	0.21	0.09	0.02	0.71	0.06
Algeria	34,428,000	56.74	1.65	0.51	0.35	0.13	0.02	0.62	0.02
Bosnia and Herzegovina	3,774,000	10.34	2.74	0.78	0.22	0.48	0.04	1.16	0.05
Croatia	4,418,000	18.53	4.19	1.02	0.13	0.66	0.07	1.89	0.43
Cyprus	1,077,000	4.78	4.44	1.19	0.23	0.41	0.07	2.54	0.00
Egypt	78,323,000	132.80	1.70	0.66	0.07	0.16	0.03	0.59	0.18
France	62,098,000	304.96	4.91	1.25	0.39	0.60	0.18	2.24	0.25
Greece	11,292,000	55.57	4.92	1.26	0.53	0.38	0.13	2.53	0.11
Israel	7,092,000	28.07	3.96	0.86	0.36	0.33	0.01	2.33	0.06
Italy	59,891,000	271.00	4.52	1.03	0.40	0.46	0.14	2.39	0.10
Jordan	5,849,000	12.46	2.13	0.66	0.41	0.18	0.05	0.74	0.09
Lebanon	4,167,000	11.87	2.85	0.66	0.48	0.28	0.05	1.33	0.05
Libya	6,150,000	19.60	3.19	0.65	0.54	0.12	0.04	1.82	0.02
Macedonia TFYR	2,053,000	11.01	5.36	0.79	0.21	0.33	0.07	3.87	0.09
Malta	414,000	1.81	4.38	0.77	0.76	0.31	-	2.55	-
Montenegro	629,000	0.77	1.22	0.31	0.32	0.48	0.11	-	-
Morocco	31,321,000	41.45	1.32	0.60	0.21	0.06	0.05	0.37	0.03
Occupied Palestinian Territories	3,827,000	1.77	0.46	0.33	0.05	-	0.00	0.09	-
Portugal	10,635,000	43.78	4.12	0.96	-	0.14	0.95	2.01	0.05
Slovenia	2,018,000	10.52	5.21	0.94	0.25	0.61	0.04	3.22	0.15
Spain	45,146,000	214.00	4.74	1.26	0.31	0.35	0.38	2.39	0.06
Syria	19,694,000	28.64	1.45	0.48	0.16	0.05	0.01	0.71	0.04
Tunisia	10,247,000	18.08	1.76	0.65	0.12	0.21	0.10	0.66	0.03
Turkey	70,924,000	181.20	2.55	0.92	0.08	0.28	0.03	1.17	0.07

COUNTRY	BIOCAPACITY COMPONENTS								
	Ecological deficit (reserve)	Ecological deficit (reserve)	Total biocapacity	Per capita biocapacity	Cropland	Grazing land	Forest land	Fishing grounds	Built-up land
	[million gha]	[gha per capita]	[million gha]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]	[gha per capita]
Albania	2.96	0.93	2.81	0.88	0.41	0.13	0.20	0.08	0.06
Algeria	37.40	1.09	19.34	0.56	0.19	0.31	0.02	0.01	0.02
Bosnia and Herzegovina	4.16	1.10	6.17	1.64	0.41	0.26	0.91	0.00	0.05
Croatia	5.61	1.27	12.92	2.92	0.87	0.17	1.14	0.32	0.43
Cyprus	4.52	4.20	0.26	0.24	0.13	-	0.05	0.06	0.00
Egypt	81.54	1.04	51.26	0.65	0.45	-	0.00	0.02	0.18
France	119.27	1.92	185.69	2.99	1.47	0.24	0.87	0.16	0.25
Greece	37.66	3.34	17.90	1.59	1.03	0.09	0.14	0.22	0.11
Israel	26.01	3.67	2.06	0.29	0.17	0.01	0.03	0.01	0.06
Italy	202.40	3.38	68.59	1.15	0.62	0.06	0.30	0.06	0.10
Jordan	11.07	1.89	1.39	0.24	0.09	0.02	0.03	0.00	0.09
Lebanon	10.22	2.45	1.64	0.39	0.22	0.05	0.06	0.01	0.05
Libya	15.52	2.52	4.08	0.66	0.15	0.23	0.02	0.24	0.02
Macedonia TFYR	7.82	3.81	3.19	1.55	0.53	0.22	0.70	0.01	0.09
Malta	1.62	3.92	0.19	0.46	0.10	-	-	0.37	-
Montenegro	(0.51)	(0.81)	1.28	2.03	0.13	0.45	1.26	0.19	-
Morocco	19.64	0.63	21.82	0.70	0.30	0.18	0.09	0.10	0.03
Occupied Palestinian Territories	1.26	0.33	0.50	0.13	0.11	0.02	0.00	-	-
Portugal	30.02	2.82	13.76	1.29	0.29	0.24	0.64	0.07	0.05
Slovenia	5.28	2.62	5.23	2.59	0.37	0.23	1.84	0.00	0.15
Spain	148.13	3.28	65.87	1.46	0.98	0.11	0.25	0.06	0.06
Syria	17.39	0.88	11.26	0.57	0.37	0.11	0.04	0.00	0.04
Tunisia	8.26	0.81	9.82	0.96	0.53	0.09	0.05	0.25	0.03
Turkey	88.47	1.25	92.73	1.31	0.74	0.13	0.32	0.05	0.07



Global Footprint Network
Advancing the Science of Sustainability

U.S. OFFICE

312 Clay Street, Suite 300
Oakland, CA 94607-3510 USA
1 (510) 839 8879

EUROPE OFFICE

International Environment House 2
7-9 chemin de Balexert
1219 Chatelaine (Geneva)
SWITZERLAND
T: +41 22 797 41 08

info@footprintnetwork.org
www.footprintnetwork.org

Global Footprint Network is an international science and policy institute working to advance sustainability through use of the Ecological Footprint, a resource accounting tool that measures how much nature we have, how much we use, and who uses what. By making ecological limits central to decision making, we are working to end overshoot and create a society where all people can live well, within the means of our one planet. Global Footprint Network has offices in Oakland (California, USA), Brussels (Belgium), Zurich (Switzerland), Geneva (Switzerland), and Washington, DC (USA).